



Vladimir Cherepanov

IPHC Analysis Tools <https://github.com/cherepan/IPHCAnalysisTools>





Summary tables

	<i>Data</i>	<i>QCD</i>	<i>W → lν</i>	<i>W → τν</i>	<i>WW → 2l2ν</i>	<i>ZZ → 4l</i>
Before Skim	3.30575e+08	7.32931e+06	1.98146e+07	9.8912e+06	1.999e+06	1.07098e+07
Before Cuts	9.41445e+07	1.01139e+06	5370	2635	21765	150655
Trigger	9.41445e+07	1.01139e+06	5370	2635	21765	150655
NGoodPairs	1.50153e+07	1.01139e+06	302	546	2043	13854
Lepton Veto	1.50153e+07	1.01139e+06	302	546	2043	13854
First Tau Isolation	1.02219e+06	1.01139e+06	10	180	775	7012
Second Tau Isolation	105285	1.01139e+06	0	20	256	3536
Number of muons	105132	1.009e+06	0	20	251	2873
Pair Charge	67823	1.009e+06	0	15	243	2134
Pair Visible Mass	27723	291296	0	4	35	1322
Delta R btw taus	27412	288322	0	4	34	1322

	<i>ZZ → 2l2ν</i>	<i>ZZ → 2l2q</i>	<i>ttbar</i>	<i>Z/γ → ττ</i>	<i>Z/γ → μμ</i>
Before Skim	8.84248e+06	1.53456e+07	7.70812e+07	1.53719e+07	3.37724e+07
Before Cuts	118244	355592	1.06684e+06	37488	221315
Trigger	118244	355592	1.06684e+06	37488	221315
NGoodPairs	10128	45569	235755	8737	4113
Lepton Veto	10128	45569	235755	8737	4113
First Tau Isolation	5414	13528	23587	5006	1102
Second Tau Isolation	3078	4394	1995	2726	725
Number of muons	3071	4312	1881	2715	725
Pair Charge	3023	4106	1622	2657	711
Pair Visible Mass	2593	3532	485	2520	105
Delta R btw taus	2593	3532	483	2514	104

Table 3: Raw Event Selection

	<i>Data</i>	<i>QCD</i>	<i>W → lν</i>	<i>W → τν</i>	<i>WW → 2l2ν</i>	<i>ZZ → 4l</i>
Trigger	1	1	1	1	1	1
NGoodPairs	0.159492	1	0.056174	0.207082	0.0940664	0.0903714
Lepton Veto	1	1	1	1	1	1
First Tau Isolation	0.0680765	1	0.0307887	0.33705	0.373864	0.503202
Second Tau Isolation	0.103	1	0	0.104406	0.323339	0.502535
Number of muons	0.998547	0.997644	-nan	1	0.979463	0.814515
Pair Charge	0.645122	1	-nan	0.7353	0.96494	0.742363
Pair Visible Mass	0.408755	0.288697	-nan	0.245302	0.147478	0.61849
Delta R btw taus	0.988782	0.98979	-nan	1	0.973388	1

	<i>ZZ → 2l2ν</i>	<i>ZZ → 2l2q</i>	<i>ttbar</i>	<i>Z/γ → ττ</i>	<i>Z/γ → μμ</i>
Trigger	1	1	1	1	1
NGoodPairs	0.0843689	0.128337	0.224199	0.224369	0.0187272
Lepton Veto	1	1	1	1	1
First Tau Isolation	0.531657	0.290654	0.0984394	0.571216	0.258161
Second Tau Isolation	0.566895	0.320733	0.0832154	0.541618	0.658625
Number of muons	0.997506	0.981466	0.943497	0.995693	1
Pair Charge	0.984995	0.951417	0.862786	0.97762	0.982189
Pair Visible Mass	0.855393	0.861259	0.299036	0.947657	0.137417
Delta R btw taus	1	1	0.996009	0.997635	0.989645

Table 9: Relative Efficiency



$Z \rightarrow \tau_h \tau_h$ control sample

Data:
/Tau/Run2016*-23Sep2016-v1/MINIAOD





Following recipes from H2TauTau analysis


Not all necessary MC/Data corrections are applied: TauSpinner, TauES, MET...

Synchronization to legacy analysis in progress




PU reweighting






MC Tau Interface




MC Tau Interface




SingleMuon data

/SingleMuon/Run2016*-23Sep2016-v1/MINIAOD


4 1/fb is produced



Secondary Vertex Reconstruction




Adaptive vertex fitter to the general tracks matched to tau decay products



SimpleFits

Kinematic fit tool for tau reconstruction



Z \rightarrow $\tau\tau \rightarrow \mu\nu\nu$ a1v - moved to 13 TeV



New:

Z \rightarrow $\tau\tau \rightarrow \pi\nu$ a1v



Z \rightarrow $\tau\tau \rightarrow \rho\nu$ a1v

Z \rightarrow $\tau\tau \rightarrow a1\nu$ a1v needs a special treatment

SimpleFits – basic resolution plots



Resolution of taus momentum including neutrino



Further tests are needed

Important post-fit corrections are missing for 13 TeV MC

Spin analysis of tau leptons



Angular analysis of the decay products

Some angles having only the “visible” information

More advanced angles are accessible only tau rest frame



The goal is to separate tau helicity states as good as possible

Combine both taus - helicities are $\approx 100\%$ correlate




“Visible observables”

$\tau \rightarrow \rho \nu$



$\tau \rightarrow \pi \nu$

Invariant mass of $\pi\pi$









All angles (rho channel)

<https://github.com/TauPolSoftware>

<https://github.com/cherepan/Tau-Polar>







Tauola + pythia + TauSpinner packages to study angular distributions at gen level



$$\omega = \frac{g(\vec{\zeta})}{f(\vec{\zeta})} = \frac{|M_+(\vec{\zeta})|^2 - |M_-(\vec{\zeta})|^2}{|M_+(\vec{\zeta})|^2 + |M_-(\vec{\zeta})|^2}$$


Not the right slope!

All angles (a1 channel)




Not the right slope!

Combinations (some examples)



Accessible using MMC (to be implemented in the IPHAnalysisTools)



Accessible using SimpleFits, MMC