



EOSC - Future Dark Matter Science Project

Elena Gazzarrini, Jared Little



European Union's Horizon 2020 programme Grant Agreement 824064 and 101017536

Agenda


Introduction

Dark Matter


Virtual Research Environment

Science Projects

Demo





Introduction



Data volumes are growing ...

The LHC at CERN was the first large scientific experiment to generate and manage multi PBs of data per year.

Technologies to manage and process data initially developed at CERN are being adopted by other collaborations, as new generation of detectors, antennas and telescopes are producing and processing large data volumes as well.








Taylor R. et al. Big Data Research Infrastructure Collaboration Toward the SKA (BRISKA). doi: 10.1590/0001-3765202120201027. PMID: 34076205.




The challenge

A common infrastructure across Research Infrastructures would foster:

- economy of scale
- collaboration across domains
- scientific reuse
- sustainability




Have you failed to reproduce a result?




70%

researchers tried and failed to reproduce others' results



> 50%

researchers failed to reproduce own results



Baker, M. 1,500 scientists lift the lid on reproducibility. *NatBure* 533, 452-454 (2016).

EU collaborations

EU-funded projects promote cross-fertilisation across Research Infrastructures and scientific domains to find common, consistent and useful solutions to challenges of

- Federated Data Management and Transfer Services
- Distributed Data Processing
- Software Sustainability
- Analysis Preservation and Reusability

... all in one common Analysis Platform!





ESCAPE – Open Science Projects

- ESCAPE is an EU-funded project which aims to bring together different research infrastructures
 - **10 ESFRI** (CTA, EST, FAIR, HL-LHC, KM3NeT, SKA, LSST, VIRGO, ESO, JIVE)
 - **2 pan-European International Organisations** (CERN, ESO)
 - **4 supporting European consortia** (APPEC, ASTRONET, ECFA, NuPECC)
- ESCAPE services will contribute to the European Open Science Cloud (EOSC) through the **EOSC-Future** project
- 2 Science Projects produce cutting edge results: **Dark Matter** and Extreme Universe
 - Demonstrate open science capabilities
 - Improve productivity of researchers
 - Gain new insights and innovation across disciplines
 - Bring together the services implemented within ESCAPE




The Virtual Research Environment


The VRE is an **open source** analysis platform where researchers have access to all the digital content needed to **develop, share and reproduce an end-to-end scientific result** in compliance with **FAIR** (findable, accessible, interoperable, reproducible) principles.




Timeline



Dark Matter




Big science question: Dark Matter



Wikipedia & Hopkins Research Group/Caltech




Vera Rubin, © Washington Times & Zuma




Simulations were performed at the National Center for Supercomputer Applications by A. Kravtsov and A. Klypin.

visible matter



“invisible” matter






Dark Matter Experiments

- large, complex, costly experiments
- only one or a few experiments of each type worldwide



Maximising each experiment's science outputs is imperative


- **create** and store new analyses, datasets and results
- **combine** multiple results studying the same question
- **reinterpret** existing studies for new questions




Context: EOSC-Future

EOSC-Future Science Projects demonstrate

- multi-domain science integration across the **ESCAPE** project
- unification of services under **one Proof of Concept (PoC) analysis platform, the VRE**
- **interdisciplinary open science** example from bottom-up effort as a science driver for other communities




Virtual Research Environment



Dark Matter: Complementary Approach

Focus: Looking for **W**eakly **I**nteracting **M**assive **P**articles (**WIMPs**)



A joint discovery of the nature of dark matter requires different experiments and inputs

Experiments have **different** data sizes, workflows, data, and result sharing policies


Example of a **discovery scenario**

Late 2020s **Direct detection** experiment sees a hint of a signal, with characteristics compatible with WIMP DM

Mid 2030s

2040s

Inspired by:
 Dark Matter Complementarity (Snowmass report), arXiv:2210.01770
 T. Slatyer's "Paths to discovery" talk at Snowmass 2022




Example of a **discovery scenario**

Late 2020s **Direct detection** experiment sees a hint of a signal, with characteristics compatible with WIMP DM


Mid 2030s **Direct detection** experiment (using another technique) confirms these hints

2040s


Inspired by:
 Dark Matter Complementarity (Snowmass report), arXiv:2210.01770
 T. Slatyer's "Paths to discovery" talk at Snowmass 2022





Example of a **discovery scenario**




Example of a **discovery scenario**



Inspired by:
 Dark Matter Complementarity (Snowmass report), arXiv:2210.01770
 T. Slatyer's "Paths to discovery" talk at Snowmass 2022



Example of a **discovery scenario**



Such a scenario requires **interoperable** and **reproducible** analyses

- **comparison** and **combination** of results from different experiments
- **end-to-end workflows** available for cross-checks



with the **Dark Matter Science Project**, we build a **prototype** that fulfils these requirements

Inspired by:


Dark Matter Complementarity (Snowmass report), arXiv:2210.01770

T. Slatyer's "Paths to discovery" talk at Snowmass 2022




Experiments involved in the Dark Matter Science Project


Direct detection: DarkSide



Colliders: ATLAS @ LHC



Indirect detection: FermiLAT, KM3NeT




...and their evolutions: **DarkSide-20k / Argo, ATLAS @ HL-LHC, CTA**

Some of the **analysis & ML tools** necessary for these evolutions are also part of this Science Project


With the Dark Matter Science Project,
we understand the **computing and analysis challenges** of some of the future DM experiments

Science outputs of the Dark Matter SP

- Individual results and publications
- Plots highlighting complementarity of different experimental efforts
- Data and software objects + pipelines
- Data on the Data Lake, and software on the ESCAPE Software Catalogue
- Pipelines accessible via VRE
- **Combination of experimental results**



Analysis Workflows for the DM Science Project




Data sharing and data processing


Data analysis, preservation and interpretation




Virtual Research Environment



The building blocks



Authentication & Authorisation



INDIGO Identity and Access Management (IAM) - adopted by WLCG for token

- OIDC tokens
- X.509 certificates / one VO for all the experiments



Authentication & Authorization

subject mapping cronjob


Data Management

Notebook service

Analysis



Data Management





Rucio is an **open-source data management and orchestration** project initially developed by the ATLAS experiment to manage large volumes of data. It is now used by various CERN and non-CERN communities.

The **Data Lake** is a **policy-driven, reliable, distributed data infrastructure** able to deliver data **on-demand at low latency** to all types of processing facilities. It ensures **data security, quality and access**. The storage elements are managed by partner institutions.

Rucio instance

Data Lake



Notebook Service

To facilitate interactive analysis.



interface to run
preliminary analysis



containerised environments on
public repositories



CERN Virtual Machine
FS (CVMFS) installed

client libraries and
software installed to
interact with
underlying services



CephFS volumes
provided as shared,
temporary storage
solution

Server Options


- Minimal environment**
Based on jupyter/scipy-notebook (active reana-client)
- ROOT environment**
ROOT v6.26.10, a C++ kernel is implemented too - DASK testing
- Minimal environment - python 3.9.13**
Contains a REANA client
- Virtual Observatory environment**
Contains Jupyter Notebooks examples with the basic usage of the IVOA tools
- Indirect Dark Matter Detection Environment**
Contains a GCC compiler and the MLFermiLATDwarfs and fermitools libraries - not fermipy (bugged)
- Common gamma analysis tools**
Contains a GCC compiler and astropy, sherpa, agnpy, gammapy libraries
- Wavelet Detection Filter (WDF) project environment**
Contains the full WDF env
- Compact stars Science Project environment**
Contains the matchmaker library
- KM3NeT Science Project environment**
Contains the common gamma analysis tools and the km3io, km3pipe and km3irf libraries
- KM3NeT & CTA combined analyses**
Compatible environment with gammapy and the km3io, km3pipe and km3irf libraries (env testing)
- SKA SDC1**
SKA environment profile for SDC
- LOFAR environment**
Based on the prefactor container. Can be used to image LOFAR data
- ESAP shopping basked environment**
Using the ESAP shopping basket library.
- ESAP shopping basked environment (with astropy)**
ESAP shopping basket and astropy, e.g. to download and plot images from the virtual observatory

Start

Data into the notebook

The **Jupyterhub Rucio extension** hides the complexity of the Data Lake and allows users to

- browse experiments' data catalogue
- authenticate with OIDC tokens to the Rucio infrastructure
- replicate data into the notebook
- import the data into the notebook by assigning a parameter to it
- run preliminary analysis to prototype code



The screenshot shows the Jupyter RUCIO extension interface. At the top, there's a menu bar with 'File', 'Edit', 'View', 'Run', 'Kernel', 'Tabs', and 'Settings'. Below the menu, there's a 'RUCIO' header with 'EXPLORE' and 'NOTEBOOK' tabs. A search bar contains 'ATLAS_LAPP_SP:*'. A red circle highlights the RUCIO logo in the left sidebar. Below the search bar, there's a 'SEARCH RESULTS' section listing several folders with search icons:

- ATLAS_LAPP_SP:DM-dilepton-14TeV-2018
- ATLAS_LAPP_SP:DM.LeptonResonance.Data...
- ATLAS_LAPP_SP:DMsummary.dilepton.14TeV...
- ATLAS_LAPP_SP:DMsummary.dileptonReinter...
- ATLAS_LAPP_SP:jared_little


At the bottom of the search results, there's a green checkmark and the text 'All files available'.

Data into the notebook

Data gets replicated through Rucio daemons from any storage element to an EOS storage element of half a Petabyte FUSE mounted on the Jupyterhub node.


The computation is limited to the CPU capacity of the node.

How do we SCALE OUT?





FUSE mount

Data Lake




Computing

- **Distribute** the analysis
 - **resource managers** (Kubernetes, HTCondor (High Throughput Computing (HTC)) and Slurm (High Performance Computing (HPC))
 - **work schedulers** (Dask, Reana, Spark)
- **Preserve** the analysis for reuse
 - work schedulers (Reana)



Analysis preservation and distribution






Reana is a reproducible analysis project developed at CERN, to make the **preservation** of heavier analyses seamless.

- Intuitive declarative programming approach (reana.yaml file) with:
 - input data
 - environment
 - code
 - computational steps
- **Isolates** each analysis step with different containers
- Supports **workflow engines**
 - CWL
 - Snakemake
 - Yadage --> workflow concatenation (output becomes input)

Workflow distribution with Dask


Daskhub helm chart: Dask Gateway + Jupyterhub

- multi-user, configurable usage profiles
- gateway to distribute access to all cloud nodes of the VRE
- code needs to be adapted
- dashboards of work progress



Monitoring, testing, dashboards, on-boarding

- Continuous **monitoring and testing** of transfers between Rucio Storage Elements (RSEs) is in place on Grafana dashboards hosted at CERN.



Monitoring, testing, dashboards, on-boarding

- **Rucio and Reana UI** interfaces deployed with K8s allow to explore and debug failed transfers and workflows.

AnalysisElenaNontuples #3
Finished 16 days ago

finished in 3 min 44 sec
step 4/4

Engine logs > Job logs Workspace Specification

Step htupleAnalysisEI finished in 47 seconds Kubernetes ghcr.io/vre-hub/atlas-dilepton:latest \$ echo 'Current Directory' echo \$PWD I...

```


-rw-rw-r--. 1 root root 26222 Apr 21 10:32 prunSelector.py
drwxrwxr-x. 1 root root 25 Apr 21 10:34 recast
-rw-rw-r--. 1 root root 11825 Apr 21 10:32 runSelector.py
-rw-rw-r--. 1 root root 172 Apr 21 10:32 runprunSelector.py
-----
Error in <TChain::LoadTree>: Cannot find tree with name nominal in file
ntuples/mc16a/user.dummy.recastSignal.mc16_13TeV.500353.MGPy8EG_MET_50_lv_lds_mZp_500_ee_minitrees.root/user.dummy.dummy._000001.
minitrees.root
Error in <TChain::LoadTree>: Cannot find tree with name nominal in file
ntuples/mc16a/user.dummy.recastSignal.mc16_13TeV.500353.MGPy8EG_MET_50_lv_lds_mZp_500_ee_minitrees.root/user.dummy.dummy._000001.
minitrees.root
Error in <TChain::AddBranchToCache>: Could not load a tree
Error in <TChain::LoadTree>: Cannot find tree with name nominal in file
ntuples/mc16a/user.dummy.recastSignal.mc16_13TeV.500353.MGPy8EG_MET_50_lv_lds_mZp_500_ee_minitrees.root/user.dummy.dummy._000001.
minitrees.root
user.dummy.recastSignal.mc16_13TeV.500353.MGPy8EG_MET_50_lv_lds_mZp_500_ee_minitrees.root
Number of events to process: 0

```

Name	Account	RSE Expression	Creation Date	Remaining Lifetime	State
elena_test:2023.03.16-11.19.03.txt	egazzarr	EULAKE-1	2023-05-07T13:22:23.000Z	7d	STUCK
user.ron:test_from_CERN-030523_1643.txt	garcia	SURF-IOP-EXP	2023-05-04T10:35:14.000Z	-	STUCK
user.ron:test_from_CERN-030523_1643.txt	garcia	EULAKE-1	2023-05-03T14:43:27.000Z	-	OK
user.ron:mytestfile_2	garcia	DESY-DCACHE	2023-05-03T14:35:27.000Z	-	OK
elena_test:test-file-rucio-2023-04-24-01.txt	egazzarr	PIC-DCACHE	2023-04-24T14:13:33.000Z	-	OK
elena_test:test-file-rucio-2023-04-24-02.txt	egazzarr	PIC-DCACHE	2023-04-24T14:12:45.000Z	-	REPLICATING
elena_test:test-file-rucio-2023-04-24-01.txt	egazzarr	EULAKE-1	2023-04-24T14:12:12.000Z	-	OK
elena_test:test-file-rucio-2023-04-20-04.txt	egazzarr	IN2P3-CC-DCACHE	2023-04-20T15:08:51.000Z	-	REPLICATING
elena_test:test-file-rucio-2023-04-20-03.txt	egazzarr	DESY-DCACHE	2023-04-20T15:06:00.000Z	-	REPLICATING
elena_test:test-file-rucio-2023-04-19-01.txt	egazzarr	SURF-IOP-EXP	2023-04-19T15:53:19.000Z	-	STUCK
elena_test:test-file-rucio-2023-04-19-01.txt	egazzarr	IN2P3-CC-DCACHE	2023-04-19T15:42:32.000Z	-	OK
elena_test:test-file-rucio-2023-04-19-01.txt	egazzarr	EULAKE-1	2023-04-19T15:35:53.000Z	-	OK
elena_test:test-file-rucio-2023-04-19-01.txt	egazzarr	DESY-DCACHE	2023-04-19T15:33:53.000Z	-	OK
elena_test:test-file-rucio-2023-04-19-01.txt	egazzarr	CESNET-S3	2023-04-19T15:33:34.000Z	-	OK

Monitoring, testing, dashboards, on-boarding

- **Documentation** is hosted on Github pages and is made easy for both users and system administrators who would like to get inspired by the VRE model
- **Public Github repository** hosts
 - cloud deployment of the infrastructure components with Helm, Flux, Terraform and K8s
 - Science Projects software to reproduce the analyses
 - forums and discussions



The VRE

A comprehensive analysis platform to serve the particle physics and astrophysics community.


[View My GitHub Profile](#)

The Virtual Research Environment

The Virtual Research Environment is an analysis platform developed at CERN serving the needs of scientific communities involved in European Projects. Its scope is to facilitate the development of **end-to-end physics workflows**, providing researchers with access to an **infrastructure** and to the digital content necessary to produce and preserve a scientific result in compliance with **FAIR** principles. The platform's development is aimed at demonstrating how sciences spanning from High Energy Physics to Astrophysics could benefit from the usage of common technologies, initially born to satisfy CERN's **exabyte-scale data** management needs.

The Virtual Research Environment's main components are:

1. A federated and reliable **Authentication and Authorization** layer
2. A **federated distributed storage** solution (the Data Lake), providing functionalities for data injection and replication through a Data Management framework (Rucio)
3. A **computing** cluster supplying the processing power to run full analyses with Reana, a re-analysis software
4. An enhanced **notebook interface** with containerised environments to hide the infrastructure's complexity from the user.



The deployment of the Virtual Research Environment is open-source and modular, in order to make it easily reproducible by partner institutions; it is publicly accessible and kept up to date by taking advantage of state of the art IT-infrastructure technologies.

The Science Projects which are using the VRE are described [here](#).


If you are a scientist or a new user curious to use the above resources, please refer to the following documentation:

1. [AAI](#)
2. [Rucio Data Lake](#)
3. [Reana cluster](#)
4. [Notebook service](#)

Hosted on GitHub Pages — Theme by [orderedlist](#)



Science Projects



Dark matter at particle colliders: searches in the ATLAS experiment


Jared Little

Laboratoire d'Annecy De Physique Des Particules (L.A.P.P.)

Supervised by:

Tanya Hrn'ova and Stephane Jezequel (LAPP),
Caterina Doglioni

(University of Manchester and Lund University)





DM Science Project - ATLAS

The ATLAS Experiment, along with CMS, are two general purpose detectors located on the Large Hadron Collider.

Wide range of physics investigated:

- Higgs discovered in 2012.
- Precision measurements on Standard Model properties.
- Searches for new physics, including particles that make up dark matter.




At the LHC, we are trying to “make” dark matter.

By probing the interactions with ordinary matter, we can better understand the nature of DM.

Inclusive Dilepton Resonance Search

Looking for a **bump** (= new particle)
over the background of known particles



DM mediator decays in two electrons
→ **search in di-electron final state**

- No signal → constraints on the fiducial cross-section of a new Z' particle.


Two projects within this TSP:

1. Reinterpretation of inclusive resonance search in terms of dark matter mediators ✓
2. Exclusive Z' +MET analysis

Reinterpretation of the Resonance Search

Use the dilepton resonance search to constrain dark matter mediators.

- Assuming a non-zero coupling to leptons, a neutral mediator associated with a dark sector would produce an excess in the dilepton invariant mass distribution.



Results included in this paper: <https://arxiv.org/abs/2206.03456>
(prepared within the US prioritization effort "Snowmass")

Reinterpretation of the Resonance Search

This reinterpretation was set up with **REANA**, sending the jobs to a remote computer from the **VRE**.

- Multiple stage workflows can be sent, passing the output to the following stage.

reana

Reproducible research data analysis platform

The screenshot displays the REANA web interface. On the left, there is a sidebar with navigation options like 'EXPLORE' and 'NOTEBOOK'. The main area shows a workflow execution summary for 'SettingLimits #29', which is 'finished in 1 min 34 sec step 3/3'. Below this, a table lists the files generated during the workflow:



Name	Modified	Size
plots/Crossing_DM1p00_fsll.png	2022-06-13T18:54:15	11974
plots/Crossing_DM0p50_fsll.png	2022-06-13T18:54:15	12082
plots/Crossing_DM2p00_fsll.png	2022-06-13T18:54:15	12051
plots/Crossing_DM1p50_fsll.png	2022-06-13T18:54:15	12048
plots/DMSummary.png	2022-06-13T18:54:35	9128
data/DMCrossSectionGraphs_axial_massmass.root	2022-06-13T18:52:50	26404
data/LimitInterpolator_CL95_14TeV.root	2022-06-13T18:54:15	17439
python/MakeLimit.py	2022-06-13T18:52:50	8760
python/Summary.py	2022-06-13T18:52:50	2041

Below the table, a terminal window shows the execution logs, including success messages for file uploads and workflow completion. On the right, a plot titled 'plots/DMSummary.png' is displayed, showing the relationship between m_{χ} [TeV] (y-axis, ranging from 0.4 to 2.0) and m_{Z_A} [TeV] (x-axis, ranging from 0 to 6). The plot shows a series of points connected by lines, indicating a boundary or limit. A 'Download' button is visible at the bottom right of the plot area.

Exclusive Z' +MET Analysis


Search targeting dilepton resonances in the ll +MET final state.


- Searching for well-motivated models that could have escaped detection up to this point.
- Benchmark models help guide our analysis techniques, but we aim to stay as general as possible.
 - **Reproducible and reinterpretable results** are necessary for **collaboration**.
- By targeting dilepton events with MET in the final state, we will be more sensitive in the low-mass regions where the dilepton analysis was dominated by Standard Model events.
 - **Results expected soon.**




<https://arxiv.org/pdf/1504.01386.pdf>

Exclusive Z'+MET Analysis




 $\geq 10 TB$






Dark matter Direct Detection: Darkside plans and results

Maria Adriana Sabia (INFN/La Sapienza)
Paolo Salomone (INFN/La Sapienza)
Marco Rescigno (INFN)
Valerio Ippolito (INFN)



Direct Detection with a LAr TPC

- DM as WIMP-like particle produces a **nuclear** or an **electron recoil**.
- Elastic scattering with Argon Nuclei results in **Scintillation & Ionization**.



Evolution of the DarkSide Experiment





DarkSide Plans

Implemented a reanalysis tool for a high-mass search on the **VRE platform**.

- Output: **DarkSide50** exclusion curve for WIMP-nucleon cross section.

Further work is ongoing.

- Low mass analysis to be implemented.
- Different **theoretical models** (WIMP halo, argon response...) can be inserted by the user to produce different limit results.
- Working towards first open implementation.




Indirect dark matter search with gamma rays


... and its association with the VRE platform via open-science tools

Pooja Bhattacharjee, Christopher Eckner
Laboratoire d'Annecy De Physique Des Particules (L.A.P.P)

Supervised by:
Francesca Calore
Laboratoire d'Annecy-le-Vieux de Physique Théorique (L.A.P.Th)




Indirect Searches for Dark Matter



C. Eckner




Fermi Large Area Telescope



MLFermiDwarfs

Learn to predict the gamma-ray background over the entire sky via training data based on real gamma-ray measurements from Fermi-LAT in a **machine learning based approach**

(performance demonstrated in [F. Calore et al. JCAP10 (2018) 029],[A. Alvarez et al. JCAP09 (2020) 004])






Indirect Dark Matter Detection on the VRE

- The data and main processing software (Fermi Science Tools) are publicly accessible, and now fully available in the VRE.
- Code is entirely written in python 3 using well-known packages like scikit-learn.
- Package can be optimized from the command line enabling a quick check of the viability of a user-defined Dark Matter model.







Fermi Large Area Telescope



MLFermiDwarfs code is accessible at <https://gitlab.in2p3.fr/escape2020/virtualenvironment/mlfermilatdwarfs>

Brown Dwarf Analysis



Based on the recent Published paper on **Bhattacharjee et.al, PRD,107, 043012, 2023.**


Code is accessible at <https://gitlab.in2p3.fr/escape2020/virtual-environment/brown-dwarfs-gamma>



Instrument Response Function of KM3NeT for point-source analysis

Mikhail Smirnov
(Friedrich-Alexander University FAU-ECAP)

Supervised by:
Kay Graf
Friedrich-Alexander University FAU-ECAP




KM3NeT Detector

KM3NeT (cubic kilometer neutrino telescope) **J.Phys. G43 (2016) 084001**

KM3NeT/ARCA (Astroparticle **R**esearch with **C**osmics in the **A**byss)
discovery and observation of HE cosmic neutrino sources
($E_\nu \sim \text{GeV-PeV}$) high energy neutrinos
Depth – 3500 m – offshore Sicily (Italy)

KM3NeT/ORCA (**O**scillation **R**esearch with **C**osmics in the **A**byss)
determination of the neutrino mass hierarchy
($E_\nu \sim \text{MeV - GeV}$) low energy neutrinos
Depth – 2500 m – offshore Toulon (France)





KM3NeT – IRF Concept

Instrument Response Function of neutrino telescope provides a quantitative estimation of the event and background rates.

- Contains physical characteristics of the detector.
- It allows to avoid extensive MC simulations each time for a new configuration of neutrino source.
- It supports different configurations of neutrino sources:
 - Point source with power law E^{-a}
 - Diffuse source
 - Extended source
- Compatibility with **gammapy** will give an easy combination with other gamma experiments like CTA.
- Active development of the **km3irf** python package.

```
pip install km3irf
from km3irf import utils
new_plot = utils.DrawAeff()
new_plot.peek()
```



Common tools: Machine learning for big data compression

Axel Gallén, Alexander Ekman
(Lund University)

Supervised by:
Caterina Doglioni
University of Manchester and Lund University




Baler: data compression using ML

Idea behind the Baler compression tool:

- Train autoencoder on scientific (e.g. HEP) data
- Compress/decompress data by storing model + autoencoder's latent space (fewer dimensions)


Idea behind its inclusion in European Open Science Cloud / EOSC Software Catalogue:

- Provide "off the shelf" algorithms/tools that everyone can use



Status:


- Jupyter notebook containing Baler prototype available on Virtual Research Environment
- Many improvements since ([Zenodo release](#)), these will be ported on VRE as well



[IRIS-HEP fellow Maxym Nauchykh](#)



Demo



ATLAS Dilepton Resonance on the Virtual Research Environment - EOSC resources integration

```
[root@7c65ceb5dd33 ~]# ls
DMsummary-dilepton-14tev-2018  anaconda-ks.cfg
[root@7c65ceb5dd33 ~]# rucio list-rses
ALPAMED-DPM
AWS WEBDAV
CERNBOX-CS3
CESNET-S3
CNAF-STORM
CNAF-STORM-TAPE
CNAF_CMS_TEMP
DESY-DCACHE
DESY-DCACHE-NDR
DESY-DCACHE-TAPE
EULAKE-1
EULAKE-EC
FAIR-ROOT
GSI-ROOT
IN2P3-CC-DCACHE
IN2P3-CC-LSST-DEST
IN2P3-CC-LSST-SOURCE
INFN-NA-DPM
INFN-NA-DPM-FED
INFN-ROMA1
JUPYTER-SCRATCH-EULAKE
LAPP-DCACHE
LAPP-WEBDAV
ORM-INJECT
PIC-DCACHE
PIC-DCACHE-TAPE
PIC-INJECT
SARA-DCACHE
SARA-DCACHE-TAPE
SARA-SWIFT
[root@7c65ceb5dd33 ~]# rucio upload D
```

CESNET S3
1 TB
cloud storage

Watch on YouTube

KAPWING

https://www.youtube.com/watch?v=nYp_wsXhKSo&ab_channel=ElenaGazzarrini

Conclusions

It has been a successful journey!

- DM Science Project's analyses and tools on the VRE are providing:
 - **new scientific results** discovering or constraining dark matter hypotheses
 - multiple communities with the necessary understanding to reproduce the analysis
 - possibility to **comparing and combining** results from different experiments
 - **FAIR data and interoperable workflows** as an example for the community
 - **working prototype cell for the European Open Science Cloud**
 - testing ground for software & computing that can be explored by future experiments
- Escape Open Collaboration Agreement ensures the collaboration and joint common activities across scientific communities in the development of VREs
- EOSC resources have been successfully integrated
- VRE awoke interest from scientific domains who are in early-stage prototype phase
 - Einstein telescope (next generation gravitational waves detector)
 - NUCLEUS experiment (elastic neutrinos scattering)
 - VdR Würzburg - German centre for Data-Intensive Radio Astronomy
- Interest from new digital models (i.e. digital twins) developed within European projects



Future outlook

Future plans include

- Consolidation of EOSC Future Science Projects
 - widening participation of scientists to Open Science tools
 - onboard new analyses requiring o(TB) data
 - guarantee restricted data access until embargos lifted
 - expand use cases to real-time analysis and more complex workflows on constrained infrastructure
 - ensure the sustainability of the VRE infrastructure
 - strengthening cooperation and sharing experience across scientists
 - publish all software and pipelines on ESCAPE Software Catalogue
 - use Gambit software for combination of results
- connection with HPCs, commercial clouds and other external computing resources
 - FENIX and the EuroHPC Joint Undertaking work (eg: FTS delivering files to Julich-HPC with S3 protocol)
- Caching data on distributed storage on the VRE for faster data access

Thank you!

Questions?

e-mail

elena.gazzarrini@cern.ch

jared.little@cern.ch




Behind the scenes...



Server Options

- Minimal environment**
Based on jupyter/scipy-notebook (active reana-client)
- ROOT environment**
Start your ROOT analysis. A C++ kernel is implemented too
- ROOT environment (Xcache testing)**
Run the extension in Download mode
- SKA SDC1**
SKA environment profile for SDC
- Indirect Dark Matter Detection Environment**
Contains a GCC compiler and the MLFermiLATDwarfs, fermipy, fermitools libraries (TESTING)
- Common gamma analysis tools**
Contains a GCC compiler and astropy, sherpa, agnpy, gammapy libraries




K8s spawns a pod per user



Behind the scenes...

The image shows a JupyterLab interface. On the left, under 'Server Options', there are several environment profiles: 'Minimal environment' (selected), 'ROOT environment', 'ROOT environment (Xcache testing)', 'SKA SDC1', 'Indirect Dark Matter Detection Environment', and 'Common gamma analysis tools'. A red arrow points from the 'Minimal environment' option to the RUCIO interface on the right. The RUCIO interface shows a search for 'ATLAS_LAPP_SP:*' with search results including folders like 'ATLAS_LAPP_SP:DM-dilepton-14TeV-2018' and 'ATLAS_LAPP_SP:jared_little'. A purple arrow points from the 'jared_little' folder to a map on the right.



Behind the scenes...

reana.yaml


```

1 |version: 0.8.1
2 |inputs:
3 |  directories:
4 |    - python/
5 |workflow:
6 |  type: serial
7 |  specification:
8 |    steps:
9 |      - name: fetchdata-rucio
10 |        voms_proxy: true
11 |        rucio: true
12 |        environment: 'projectescape/rucio-client'
13 |        commands:
14 |          - rucio whoami
15 |          - rucio get ATLAS_LAPP_SP:DMsummary.dileptonReinterpretat:
16 |      - name: SetLimits
17 |        environment: 'reanahub/reana-env-root6:6.18.04'
18 |        compute_backend: kubernetes
19 |        kubernetes_memory_limit: '9Gi'
20 |        commands:
21 |          - mkdir plots/
22 |          - python python/MakeLimit.py
23 |outputs:
24 |  directories:
25 |    - plots/

```


- name: fetchdata-rucio
voms_proxy: true
rucio: true

environment: 'projectescape/rucio-client'
commands:
- rucio whoami
- rucio get ATLAS_LAPP_SP:DMsummary.dileptonReinterpretat:
- name: SetLimits
environment: 'reanahub/reana-env-root6:6.18.04'
compute_backend: kubernetes
kubernetes_memory_limit: '9Gi'
commands:
- mkdir plots/
- python python/MakeLimit.py



data gets downloaded on Reana storage

Back up



Status

The VRE is an R&D project and it is not a production system. As such, the platform is maintained by a team of 3 people.

For the moment, ~ 230 users subscribed on the IAM platform and have therefore access to the resources.

VRE documentation and links to resources at: <https://vre-hub.github.io/>.

Links to useful related works are provided by clicking on the underlined text in the slides.

vCPUs	RAM (GB)	Masters	Nodes	Remote Storage (TB)	CephFS (TB)
184	335.8	3	23	646	1.8

25 Openstack machines

- 14.6GB RAM
- 8 VCPU
- 80GB Disk
- Fedora CoreOS 35
- LINUX

Two sides of the coin

A bipartite look at the ideal infrastructure ...



	SCIENTIST	IT ADMINISTRATOR
USEABILITY	Ergonomic (onboarding, documentation)	Maintenance, portability, modularity
DATA ACCESS	Various FAIR data/metadata types	Security, varied protocols and technologies
ANALYSIS	Performance	Cost, energy consumption
REPRODUCIBILITY / SUSTAINABILITY	Software and analysis steps preservation	Easy re - deployment