

DISCUSSION

Questions

- what is the relation between coherent vs. incoherent production and exclusive vs dissociative events ?
for nucleon and nuclear targets ?
- are there cases where exclusive production is incoherent ? e.g. $\gamma^* + A$ going to $\gamma + A'$, where the A' is not in the ground state,

Questions

- what is the relation between coherent vs. incoherent production and exclusive vs dissociative events ?
for nucleon and nuclear targets ?
- are there cases where exclusive production is incoherent ? e.g. $\gamma^* + A$ going to $\gamma + A'$, where the A' is not in the ground state,
- are there cases where dissociative production is coherent ? e.g. $\gamma^* + A(208)$ going to $\gamma + A(207) + n$
- what are the relevant scales for the nuclear excitation yielding to neutron emission to factorise completely from the hard interaction and what are the limits of this approximation ?

Questions

- what is the relation between coherent vs. incoherent production and exclusive vs dissociative events ?
for nucleon and nuclear targets ?
- are there cases where exclusive production is incoherent ? e.g. $\gamma^* + A$ going to $\gamma + A'$, where the A' is not in the ground state,
- are there cases where dissociative production is coherent ? e.g. $\gamma^* + A(208)$ going to $\gamma + A(207) + n$
- what are the relevant scales for the nuclear excitation yielding to neutron emission to factorise completely from the hard interaction and what are the limits of this approximation ?
- are there consequences for experimental future instrumentation not yet taken into account?

Questions

- is there a clean experimental separation between incoherent events with a rapidity gap and non-diffractive events
- how robust is the good-walker picture and what are its limits?
only valid for $t = 0$?

Questions

- is there a clean experimental separation between incoherent events with a rapidity gap and non-diffractive events
- how robust is the good-walker picture and what are its limits?
only valid for $t = 0$?
- robustness of disappearance of fluctuations in the high-energy limit as a consequence of non-linear dynamics in the target.
is it really a smoking gun of saturation?

Questions

- is there a clean experimental separation between incoherent events with a rapidity gap and non-diffractive events
- how robust is the good-walker picture and what are its limits?
only valid for $t = 0$?
- robustness of disappearance of fluctuations in the high-energy limit as a consequence of non-linear dynamics in the target.
is it really a smoking gun of saturation?
- if we can't answer some of those questions now, can we think of tests with specific data comparisons ?