

ID de Contribution: 66 Type: Non spécifié

Equation of state of nuclear matter from collective flows in intermediate energy heavy-ion collisions: an update

vendredi 13 septembre 2024 11:00 (30 minutes)

The equation of state of nuclear matter, momentum dependence of the optical potential and in-medium modification of elastic nucleon-nucleon cross-sections have been previously studied by comparing theoretical predictions for collective flows and stopping observables in intermediate energy heavy-ion collisions to experimental data gathered by the FOPI Collaboration[1]. The study is extended to include experimental data for neutron-to-hydrogen [2] and neutron-to-charged particles flow ratios [3]. The impact on sensitivity of neutron skins, threshold effects and isospin asymmetry dependence of in-medium elastic nucleon-nucleon cross-sections is presented in detail. Nucleonic observables (stopping, directed and elliptic flows) measured recently by the $S\pi RIT$ Collaboration [4] are also added to the analysis and a comparison with existing studies is discussed.

- 1. M.D. Cozma, arXiv:2407.16411;
- 2. P. Russotto et al., Phys. Lett. B 697, 471 (2011);
- 3. P. Russotto et al., Phys. Rev. C 94, 034608 (2016);
- 4. C.Y. Tsang et al., Phys. Lett. B 853, 138661 (2024).

Auteur principal: COZMA, Dan (IFIN-HH)

Orateur: COZMA, Dan (IFIN-HH)

Classification de Session: Transport model simulations of heavy-ion reactions

Classification de thématique: Transport model simulations of heavy-ion reactions