Pandora event display Part 1: Inputs to Pandora


Dom Brailsford for the Pandora team

06/06/2024

DUNE-France Workshop



Reconstruction session



Credit: These slides are based on previous LArSoft workshop slides by Lorena Escudero and Andrew Smith Key references:

Pandora ProtoDUNE paper Pandora MicroBooNE paper

Goals

• Main goal - Visualise the input hits in Pandora

- Enable visual monitoring in the Pandora configuration XML file
- Re-run Pandora to start the EVE GUI and see the input hits
- Get to grips with the GUI

Main Goal

Visualise the input hits in Pandora

Modifying the Pandora XML

IsMonitoringEnabled>

• Copy the standard Pandora reconstruction configuration file to your config directory


- \$ cd /exp/dune/data/users/\$USER/reco/config
 \$ cp \$LARPANDORA_DIR/scripts/PandoraSettings_Master_Standard.xml
 MyPandoraSettings_Master_Standard.xml
 \$ vim MyPandoraSettings_Master_Standard.xml
 Enable Pandora Monitoring by modifying the file, then save and close:
 \$
- Add our config directory to the FW_SEARCH_PATH so pandora knows where to look for it
 - \$ export FW_SEARCH_PATH=/exp/dune/data/users/\$USER/reco/config:\$FW_SEARCH_PATH

Writing a FHiCL file to run the event display

• The event display runs within Pandora. To avoid having to run all of the reconstruction steps again, let's make a new FHiCL file that just runs Pandora using our custom XML configuration

\$ cd /exp/dune/data/users/\$USER/reco/config # You're probably already here \$ vim event_display_driver.fcl

• Add the lines below to event display driver.fcl, save and close:



What are we going to visualize?

lyPandoraSettings_Master_Standard.xml
<ismonitoringenabled>true</ismonitoringenabled>
<shoulddisplayalgorithminfo>false</shoulddisplayalgorithminfo>
<singlehittypeclusteringmode>true</singlehittypeclusteringmode>
<pre><algorithm type="LArPreProcessing"></algorithm></pre>
<outputcalohitlistnameu>CaloHitListU</outputcalohitlistnameu>
<outputcalohitlistnamev>CaloHitListV</outputcalohitlistnamev>
<outputcalohitlistnamew>CaloHitListW</outputcalohitlistnamew>
<filteredcalohitlistname>CaloHitList2D</filteredcalohitlistname> <currentcalohitlistreplacement>CaloHitList2D</currentcalohitlistreplacement>
<urrentcatoritlistreplacement>catorillist20</urrentcatoritlistreplacement>
<pre><algorithm type="LArVisualMonitoring">]</algorithm></pre>
<calohitlistnames>CaloHitListU CaloHitListV CaloHitListW</calohitlistnames>
<showdetector>tue</showdetector>
<pre><algorithm type="LArMaster"> </algorithm></pre>
<nusettingsfile>PandoraSettings_Neutrino_Standard.xml</nusettingsfile> <
 <inputhitlistname>Input</inputhitlistname>
<pre><inputnitlistmame>Input</inputnitlistmame> <recreatedpfolistmame>RecreatedPfo</recreatedpfolistmame></pre>
<recreated <="" follstmame="" fos="" recreated="" th=""></recreated>
<pre><recreated(vertexlistmame <br="" recreated(vertexlistmame="" recreated(vertices=""><recreated(vertexlistmame <="" pre="" recreated(vertexlistmame="" recreated(vertices=""></recreated(vertexlistmame></recreated(vertexlistmame></pre>
· / degot fermi
<pre><algorithm type="LArVisualMonitoring">]</algorithm></pre>
<pre></pre>
<showdetector>true</showdetector>

ndoras

Open your custom Pandora settings file

The line we just changed to enable visualisations

The visual monitoring algorithm starts up the event display - first we'll look at the input hit collections in the U, V, and W views

The master algorithm is in charge of running the different steps of the Pandora's pattern recognition - recall we configured Pandora to only to run the neutrino algorithm chain, which is defined in:

PandoraSettings_Neutrino_Standard.xml


After the pattern-recognition is finished, we run the visual monitoring algorithm again to update the event display to now show the reconstructed particles = PFOs

Running the event display

• Now just run your FHiCL file to launch the event display. You need to point to our new root files with reconstruction information so we have access to the hits


For now, let's just look at 2 events.

- \$ cd /exp/dune/data/users/\$USER/reco/work
- \$ lar -c event_display_driver.fcl -s reco2_1mu1p.root -n 2




Line-width scale: 1.0 🗘 🗖


Looking at the input hits - Viewer 1



Looking at the input hits – Multi-View





Looking at the input hits – W View




Looking at the final output of pattern-recognition

- Click in the terminal window and press Return ←
- This will exit from the current visual monitoring algorithm and continue running through our settings file
- After the pattern-recognition is finished, we reach the second visual monitoring algorithm - go back to the event display window to see what we are visualizing





Looking at the reconstructed particles – 3D View



Moving through events

- Click in the terminal window and press Return ← again
- As before, this will exit from the current visual monitoring algorithm and continue through our settings file

14

- Now we reached the end, Pandora will run again from the top with the next event check the visualisation
- Click in the terminal window and press Return ← once again to show the second visualization for event 2




Got spare time?

Try scanning through more events to get a feel for our input sample Zoom in on the final reconstructed particles, is this what you expect? Additional information

Making visualisations within Pandora

- Event displays are invaluable tools & a number of different options exist
- Today we will be focussing on the event display provided by Pandora



Pandora Monitoring API & Visual Monitoring Alg

• Many different visualisation options are available through the API to make bespoke displays, e.g.

```
/**
   @brief Add CaloHits to the Eve event-display
 *
 *
 *
   @param pandora the calling pandora instance
   @param pCaloHitList list of calohits to be added to the event display
 *
  Qparam name of the calohit list
 *
   Oparam color The color the cluster elements are drawn with
 *
 * /
static void VisualizeCaloHits(const pandora::Pandora &pandora, const pandora::CaloHitList
*const
  pCaloHitList, const std::string &name, const Color color);
```

- Bespoke displays can be very useful to understand the specifics of a given algorithm
- Quite often though, all we need is to see the hits, clusters, etc. to understand the state of the pattern-recognition at a specific point
- The visual monitoring algorithm exists to do just that! All we need to do is add a snippet to our Pandora XML settings file, and re-run Pandora no C++ necessary

Visual Monitoring Algorithm options

• These are the most useful options for this workshop - see the <u>header</u> for an exhaustive list

<showcurrentcalohits></showcurrentcalohits>	Whether to show current calohitlist
<calohitlistnames></calohitlistnames>	Names of calo hit lists to show
<showcurrentclusters></showcurrentclusters>	Whether to show current clusters
<clusterlistnames></clusterlistnames>	Names of cluster lists to show
<showcurrentpfos></showcurrentpfos>	Whether to show current particle flow object list
<pfolistnames></pfolistnames>	Names of pfo lists to show
<showcurrentvertices></showcurrentvertices>	Whether to show current vertex list
<vertexlistnames></vertexlistnames>	Names of vertex lists to show
<showdetector></showdetector>	Whether to display the detector geometry