

Measurement of hadronic Higgs boson decays at FCC-ee

Alexis Maloizel
George Iakovidis
Giovanni Marchiori
Michele Selvaggi
Jan Eysermans
Loukas Gouskos



Motivations


Measurement of Higgs couplings to quarks and gluons at FCC-ee

Yukawa coupling

$$m_f = v \frac{y_f}{\sqrt{2}}$$

Coupling-mass relation for fermions in the SM

Deviation from SM → Possible BSM physics



Fully hadronic represents 80% of the Higgs decays

Higgs decay	$H \rightarrow bb$	$H \rightarrow WW/ZZ$	$H \rightarrow gg$	$H \rightarrow cc$	$H \rightarrow ss$	$(H \rightarrow tt)$
-------------	--------------------	-----------------------	--------------------	--------------------	--------------------	----------------------

BR	57.7%	11%	8.6%	2.9%	0.024%	(6.2%)
----	-------	-----	------	------	--------	--------

only one
observed to
this day


Observable at FCC-ee

Also possible future observation of **Flavour-violating** decay

Coupling	HL-LHC
$\kappa_W [\%]$	1.5*
$\kappa_Z [\%]$	1.3*
$\kappa_g [\%]$	2*
$\kappa_\gamma [\%]$	1.6*
$\kappa_{Z\gamma} [\%]$	10*
$\kappa_c [\%]$	—
$\kappa_t [\%]$	3.2*
$\kappa_b [\%]$	2.5*
$\kappa_\mu [\%]$	4.4*
$\kappa_\tau [\%]$	1.6*
BR _{inv} (<%, 95% CL)	1.9*
BR _{unt} (<%, 95% CL)	4*

Overview

ZH (Higgstrahlung)



Z decay channels

$Z \rightarrow ll$, $l = e, \mu$ (**APC**)

$Z \rightarrow qq$ (**BNL**)

$Z \rightarrow \nu\nu$ (**APC & BNL**)

\sqrt{S} & Luminosities

240 GeV $\rightarrow 10.8\text{ab}^{-1}$

365 GeV $\rightarrow 3.0\text{ab}^{-1}$

Samples IDEA (Delphes fast sim)

signals ZH - $H \rightarrow bb/cc/gg/ss/WW/ZZ/\tau\tau$

$N = 2$ exclusive kT clustering for $Z(ll/\nu\nu)^{**}$, $N = 4$ for $Z(qq)$

backgrounds WW, ZZ, Z/γ^* , Zqq, ee, $\mu\mu$, tt, $\nu\nu Z$, qqH

- **Orthogonal selection** to separate all **Z decay** channels (ll , qq , $\nu\nu$)
- S/B optimization with **cuts** on H dijets and Z decay pairs
 - cuts on E_{jets} , E_{miss} , p_{leptons} , $|\cos(\theta_{ll/qq})|$, $m_{ll/qq}$, ...
- **Categorization** of events in relation to their tagged Higgs decay (b, c, g, s, W, Z, τ)
 - categorization using Jet Tagger scores + jet properties
- **Simultaneous fit** on all categories assuming tagging efficiencies

** We also force reconstruction of $H(WW/ZZ)$ to be 2 jets (rather than the expected 4)

Outline


ZH → **lljj/vvjj** at **240 & 365** GeV (APC)

ZH → **qqjj/vvjj** at **240 & 365** GeV (BNL)

Combination of the studies

$ZH \rightarrow lljj/\nu\nu jj$ at 240 GeV

FCCAnalyses: FCC-ee Simulation (Delphes)





Z(II)

Signals: $Z(l)H(b\bar{b}/c\bar{c}/gg/ss/WW/ZZ/\tau\tau)$


Backgrounds: WW, ZZ, Z/γ^* , Zqq, ee, mumu

1D Study of the mass recoiling from the **Z**

$$(E_{ll} + E_H, \vec{p}_{ll} + \vec{p}_H) = (\sqrt{s}, \vec{0}) \Rightarrow M_{\text{recoil}}^2 = s + m_Z^2 - 2E_{ll}\sqrt{s}$$



FCCAnalyses: FCC-ee Simulation (Delphes)



Z(vv)

Signals: $Z(vv)H(b\bar{b}/c\bar{c}/gg/ss/WW/ZZ/\tau\tau)$

Backgrounds: WW, ZZ, vvZ , Zqq, qqH

2D Study of the mass recoiling from the **H** + visible mass from **H decay**


$$m_{\text{miss}} (= m_{vv}) = m_{\text{recoil}}$$

$$m_{\text{visible}} = m_{jj}$$


Events categorization - 240 GeV

We train a Neural Network to categorize the events in each signal channels


Z($\nu\nu$) Confusion Matrix




Z(II) Confusion Matrix




Training variables



Training variables consist of output scores of a ParticleNet jet tagger which runs after reconstruction
+ some additional kinematic variables improving sensitivity in some channels








Z(II)

Signals: $Z(l)H(\text{bb/cc/gg/ss}/WW/ZZ/\tau\tau)$

Backgrounds: WW, ZZ, Z/γ^* , Zqq , ee, mumu, tt

1D Study of the mass recoiling from the **Z**

$$(E_{ll} + E_H, \vec{p}_{ll} + \vec{p}_H) = (\sqrt{s}, \vec{0}) \Rightarrow M_{\text{recoil}}^2 = s + m_Z^2 - 2E_{ll}\sqrt{s}$$



Z(nu)

Signals: $Z(\nu\nu)H(\text{bb/cc/gg/ss}/WW/ZZ/\tau\tau)$

Backgrounds: WW, ZZ, $\nu\nu Z$, Zqq , qqH, tt

2D Study of the mass recoiling from the **H** + visible mass from **H decay**

Contribution from **VBF** non-negligible at 365 GeV


$$m_{\text{miss}} (= m_{\nu\nu}) = m_{\text{recoil}}$$

$$m_{\text{visible}} = m_{jj}$$


Categorization - 365 GeV

Same training variables and strategy as for 240GeV

Z($\nu\nu$) Confusion Matrix




Z(II) Confusion Matrix




Purity categorization - 240 & 365 GeV

Goal : increase analysis sensitivity by including purity categories in the samples

before



after



We considered a maximum of **3 purity categories (high, mid, low)**

$ZH \rightarrow \nu\nu jj$ at 240 & 365 GeV (BNL)

Signals: $Z(\nu\nu)H$ (bb/cc/gg/ss/WW/ZZ/ $\tau\tau$)



Backgrounds: WW, ZZ, Z/γ^* , Zqq, $\nu\nu Z$

2D Study of the mass recoiling from the **H** + visible mass from **H decay**

$$m_{\text{miss}} (= m_{\nu\nu}) = m_{\text{recoil}} \quad m_{\text{visible}} = m_{jj}$$

Categorization of jets using the same ParticleNet jet tagger scores as previous analysis (different method)

Events selection orthogonal to $Z\ell\ell$ analysis



$ZH \rightarrow qqjj$ at 240 & 365 GeV

Signals: $Z(qq)H(bb/cc/gg/ss/WW/ZZ/\tau\tau)$

Backgrounds: WW, ZZ, Z/γ^* , Zqq, $\nu\nu Z$



2D Study of the both hadronic masses from the **H** and **Z**

$$m_H = m_{jj}^H \quad m_Z = m_{jj}^Z$$

Categorization of jets using the same ParticleNet jet tagger scores as previous analysis (different method)


Events selection orthogonal to $Z(l\bar{l})/Z(\nu\nu)$ analysis

Jet Pairing based on tagger scores & combinatorics



Jet pairs reconstruction for Z(qq)H(jj)

Monte Carlo
samples
(36 categories)



Categorization for Z(qq) and Z(vv) - Score Map


Events are categorised from the sum of the two jets score

$$\forall \text{event: } J_{12}^{\text{score}} = J_1^{\text{score}} + J_2^{\text{score}}, J = b, c, s, g$$

$$\text{eg. if: } J_1^{\text{score}} = b \& J_2^{\text{score}} = b \implies B_{\text{like}}^{\text{score}}$$

$$\text{if } B_{\text{like}}^{\text{score}} > C_{\text{like}}^{\text{score}} > S_{\text{like}}^{\text{score}} G_{\text{like}}^{\text{score}} \implies B_{\text{like}}^{\text{event}}$$



Events are further divided in 3 categories based on their *Score Like* value



Categorization for $Z(qq)$ and $Z(vv)$ - Purity categories

- Split the J_{like}^{score} in three bins of purity: Low, Medium, High

	B	C	S	G
L	< 1.1	< 1.0	< 1.1	< 1.2
M	$\in [1.1, 1.9]$	$\in [1.0, 1.8]$	$\in [1.1, 1.7]$	$\in [1.2, 1.5]$
H	> 1.9	> 1.8	> 1.7	> 1.5



Results - Combination at 240 GeV

Fitting using **CMS** tool **CombineTF** to extract $\sigma \cdot \text{BR}$ in each category

Monte Carlo stats uncertainties

No systematics on the backgrounds

Expected sensitivity (%) of $\sigma(\text{ZH}) \cdot \text{BR}(\text{H} \rightarrow \text{jj})$ at 68% CL

L = 10.8ab-1

240 GeV	H → bb	H → cc	H → gg	H → ss	H → ZZ	H → WW	H → ττ
Z → ll	0.68	4.02	2.18	234	13.66	1.78	4.08
Z → qq	0.32	3.52	3.07	408.55	52.08	8.74	110.73
Z → νν (BNL)	0.33	2.27	0.94	137	19.84	1.89	21.76
Z → νν (APC)	0.36	2.18	1.10	151	15.29	1.51	11
Combined (BNL)	0.21	1.66	0.8	104.99	10.07	1.16	3.97
Combined (APC)	0.22	1.65	0.93	121	9.56	1.11	3.79

Results - Combination at 365 GeV

Fitting using **CMS** tool **CombineTF** to extract $\sigma \cdot \text{BR}$ in each category

Monte Carlo stats uncertainties

No systematics on the backgrounds

Expected sensitivity (%) of $\sigma(\text{ZH}) \cdot \text{BR}(\text{H} \rightarrow \text{jj})$ at 68% CL

$L = 3.0\text{ab}^{-1}$

365 GeV	$\text{H} \rightarrow \text{bb}$	$\text{H} \rightarrow \text{cc}$	$\text{H} \rightarrow \text{gg}$	$\text{H} \rightarrow \text{ss}$	$\text{H} \rightarrow \text{ZZ}$	$\text{H} \rightarrow \text{WW}$	$\text{H} \rightarrow \tau\tau$
$\text{Z} \rightarrow \ell\ell$	1.74	11.29	5.74	1169	44	5.61	13.15
$\text{Z} \rightarrow \text{qq}$	0.65	3.87	2.48	305			
$\text{Z} \rightarrow \nu\nu$ (BNL)	0.78	4.55	2.93	460	52.8	4.15	128
$\text{Z} \rightarrow \nu\nu$ (APC)	1.09	5.53	3.17		28.23	3.88	19

Conclusion & prospects

Promising results at **% level** in some categories

Achieved full combination at **240 GeV**. Combination at **365 GeV** is **WIP**

Need to **disentangle VBF** from **ZH** and extract couplings from the fit

Include **FV-violating** samples and **uu/dd** channels

Expected sensitivity (%) of $\sigma(ZH) \cdot BR(H \rightarrow jj)$ at 68% CL

$L = 10.8 ab^{-1}$


240 GeV	$H \rightarrow bb$	$H \rightarrow cc$	$H \rightarrow gg$	$H \rightarrow ss$	$H \rightarrow ZZ$	$H \rightarrow WW$	$H \rightarrow \tau\tau$
Combined (BNL)	0.21	1.66	0.8	104.99	10.07	1.16	3.97
Combined (APC)	0.22	1.65	0.93	121	9.56	1.11	3.79

Thank you

Big thanks to : George Lakovidis
and Giovanni Marchiori, Jan Eysermans and Michele Selvaggi

(ZH) Higgstrahlung process - Recoil Mass

- $e^+ + e^- \rightarrow Z + H$



Recoil Mass :

$$(E_{ll} + E_H, \vec{p}_{ll} + \vec{p}_H) = (\sqrt{s}, \vec{0}) \Rightarrow M_{recoil}^2 = s + m_Z^2 - 2E_{ll}\sqrt{s}$$


- Allows model independent measurement of the total Higgs Cross-section
- Unusable in the LHC due to the composite nature of protons

Cutflows - 240 GeV


S/B optimized with selections on leptons and jets kinematic properties

ZII

FCCAnalyses: FCC-ee Simulation (Delphes)



FCCAnalyses: FCC-ee Simulation (Delphes)



Cut	ZHbb	Eff	ZHcc	Eff	ZHgg	Eff	ZHss	Eff	ZHWW	Eff	ZHZZ	Eff	ZHtautau	Eff	ZZ	Eff	WW	Eff	Zll	Eff	Zqq	Eff
No cuts	40.55	-	2013	-	5700	-	17	-	14985	-	1838	-	4367	-	6794950	-	82192500	-	67965000	-	263269500	-
one Z->l+l candidate	36448	90	1808	90	5119	90	15	90	13571	91	1664	91	3956	91	566449	8	772157	1	13389259	20	141045	0
m(ll) 81-101 GeV	32793	90	1627	90	4605	90	14	90	12151	90	1502	90	3547	90	363333	64	190171	25	5677860	42	7530	5
cos(theta_ll) <0.8	26694	81	1327	82	3746	81	11	81	9889	81	1223	81	2884	81	227312	63	145268	76	906114	16	5550	74
m(recoil) 120-140 GeV	25497	96	1268	96	3580	96	11	96	9408	95	1154	94	2743	95	32182	14	61912	43	206164	23	1079	19
max p(extra lep) < 25 GeV	24318	95	1256	99	3577	100	11	100	6912	73	1040	90	2031	74	28850	90	61825	100	206163	100	977	91
l=e	11950	-	616	-	1754	-	5	-	3386	-	510	-	998	-	14481	-	31880	-	171966	-	466	-
l=mu	12368	-	640	-	1823	-	5	-	3526	-	530	-	1033	-	14369	-	29945	-	34258	-	511	-

Zvv

Cut	vvHbb	Eff	vvHcc	Eff	vvHgg	Eff	vvHss	Eff	vvHWW	Eff	vvHZZ	Eff	vvHtautau	low	qqH	nuenuetZ	Zqq	WW	Eff	Zll	Eff	Zqq	Eff
No cuts	134500	-	6675	-	18910	-	55	-	49700	-	6100	-	14485	> high	681520	-	166370	-	263269500	-	82192500	-	
No leptons with p>20 GeV	123364	92	6531	98	18877	100	55	100	34142	69	5335	87	9824	68	580210	85	152109	91	254437693	97	49001192	60	
15<E_j1<105, 10<E_j2<70 GeV	122075	99	6439	99	18501	98	54	98	32873	96	4922	92	7801	> 79	16777	3	147609	97	109466219	43	6515777	13	
cos(theta_jj) <0.9	110401	90	5824	90	16754	91	49	90	29563	90	4226	86	6496	> 83	14859	89	92878	63	2556074	2	4698934	72	
cos(theta_j1+theta_j2)>0.5	110014	100	5806	100	16648	99	49	100	28351	96	4025	95	6441	> 99	14725	99	80799	87	2508454	98	3787830	81	
cos(phi_j1-phi_j2)<0.999	106539	97	5623	97	16165	97	48	97	27633	97	3919	97	6200	96	14169	96	78719	97	2045260	82	3698506	98	
70<mvvis<150, 60<mmiss<220 GeV	105661	99	5555	99	15955	99	47	99	27094	98	3792	97	6165	> 99	13083	92	77045	98	2039752	100	2846585	77	
d23>0, d34=0	105661	100	5555	100	15955	100	47	100	27078	100	3787	100	5896	> 96	13083	100	76961	100	2039516	100	2829867	99	
All cuts	105661	100	5555	100	15955	100	47	100	27078	100	3787	100	5896	> 100	13083	100	76961	100	2039516	100	2829867	100	
													qqH	nuenuetZ	Zqq	WW	Eff	Zll	Eff	ZZ	Eff		
													Yield	Eff	Yield	Eff	Yield	Eff	Yield	Eff	Yield	Eff	
Efficiency (%)	vvHbb	vvHcc	vvHgg	vvHss	vvHWW	vvHZZ	vvHtautau	qqH	nuenuetZ	Zqq	WW	Eff	Yield	Eff	Yield	Eff	Yield	Eff	Yield	Eff	Yield	Eff	
	78.56	83.23	84.38	84.52	54.48	62.09	40.70	1.92	46.26	0.77	3.44	> low	> low	> m_ZZ	> low	> m_ZZ	> low	> m_WW	> mid	> low	> m_WW	> low	

Eff. in ZH(other) channels wrt had decays (%)

WW	ZZ	tautau
83.65	82.51	77.83

Cutflows Zqq - 240 GeV

- Events (orthogonal to $ll, \nu\nu$ analysis)

- $n_j = 4$ per event
- Cuts on leptons
 - lepton (both e, μ) $p_T < 20 \text{ GeV}$ & $n_{e,\mu} \leq 2$ per event
- Cuts on $m_{\text{vis}}, \theta_{\text{vis}}$
 - $m_{\text{vis}} > 150 \text{ GeV}$,
 - $0.15 < \theta_{\text{vis}} < 3$
- Clustering merging parameter cut (d_{12}, d_{23}, d_{34})
- χ^2 on the energy correction < 30

- On the jet pairs

- Pairs: Find minimum $(m_{j_1 j_2} - m_Z)^2 + (m_{j_3 j_4} - m_H)^2$ for all jet combination

$$\sqrt{(m_{z_{jj}} - m_W)^2 + (m_{H_{jj}} - m_W)^2} > 10, \sqrt{(m_{z_{jj}} - m_Z)^2 + (m_{H_{jj}} - m_Z)^2} > 10, ZZ, WW \text{ rejection}$$
- $50 < m_{Z_{jj}} < 125 \text{ GeV}, m_{H_{jj}} > 91 \text{ GeV}$

	Lepton cut	$M_{\text{vis}}, \theta_{\text{vis}}$	d_{ij}		Lepton cut	$M_{\text{vis}}, \theta_{\text{vis}}$	d_{ij}
$e^+e^- \rightarrow Z(cc)H(gg)$	98.7	88.3	87.2	$e^+e^- \rightarrow Z(bb)H(\tau\tau)$	63.7	43.9	32.8
$e^+e^- \rightarrow Z(cc)H(ss)$	99.0	88.4	86.3	$e^+e^- \rightarrow Z(ss)H(\tau\tau)$	67.1	48.3	36.4
$e^+e^- \rightarrow Z(cc)H(cc)$	96.6	88.1	86.1	$e^+e^- \rightarrow Z(cc)H(\tau\tau)$	68.0	50.2	38.1
$e^+e^- \rightarrow Z(cc)H(bb)$	89.7	83.5	81.2	$e^+e^- \rightarrow Z(qq)H(\tau\tau)$	67.9	50.1	38.1
$e^+e^- \rightarrow Z(qq)H(gg)$	99.8	86.2	85.2	$e^+e^- \rightarrow Z(bb)H(Z\gamma)$	86.5	62.4	61.3
$e^+e^- \rightarrow Z(qq)H(ss)$	99.9	86.6	84.6	$e^+e^- \rightarrow Z(ss)H(Z\gamma)$	90.5	64.0	62.9
$e^+e^- \rightarrow Z(qq)H(cc)$	97.8	87.1	85.2	$e^+e^- \rightarrow Z(cc)H(Z\gamma)$	91.7	63.7	62.5
$e^+e^- \rightarrow Z(qq)H(bb)$	91.4	83.8	81.7	$e^+e^- \rightarrow Z(qq)H(Z\gamma)$	91.6	63.1	61.9
$e^+e^- \rightarrow Z(bb)H(gg)$	94.6	87.0	85.9	$e^+e^- \rightarrow Z(bb)H(WW)$	64.7	57.4	54.6
$e^+e^- \rightarrow Z(bb)H(ss)$	95.0	87.3	85.1	$e^+e^- \rightarrow Z(ss)H(WW)$	68.0	59.8	57.0
$e^+e^- \rightarrow Z(bb)H(cc)$	92.1	85.7	83.4	$e^+e^- \rightarrow Z(cc)H(WW)$	68.7	59.9	57.0
$e^+e^- \rightarrow Z(bb)H(bb)$	84.4	79.8	77.3	$e^+e^- \rightarrow Z(qq)H(WW)$	68.6	59.4	56.6
$e^+e^- \rightarrow Z(ss)H(gg)$	99.8	87.0	85.9	$e^+e^- \rightarrow Z(bb)H(ZZ)$	81.8	60.6	57.8
$e^+e^- \rightarrow Z(ss)H(ss)$	99.9	87.2	85.2	$e^+e^- \rightarrow Z(ss)H(ZZ)$	86.1	63.3	60.5
$e^+e^- \rightarrow Z(ss)H(cc)$	97.8	87.7	85.7	$e^+e^- \rightarrow Z(cc)H(ZZ)$	87.5	63.9	61.1
$e^+e^- \rightarrow Z(ss)H(bb)$	91.3	84.1	82.0	$e^+e^- \rightarrow Z(qq)H(ZZ)$	87.5	63.6	60.8
				$e^+e^- \rightarrow Z(\nu\nu)H(jj)$	87.5	00.1	00.0
				$e^+e^- \rightarrow W^+W^-$	64.1	45.1	37.9
				$e^+e^- \rightarrow ZZ$	79.8	43.4	38.1
				$e^+e^- \rightarrow Z/\gamma^*(q\bar{q})$	96.5	31.8	07.6

Cutflows - 365 GeV

Zll

Cut	ZHbb	ZHcc	ZHgg	ZHss	ZHWW	ZHZZ	ZHtautau	ZZ	WW	tt	Zll	Zqq
	Yield	Eff	Yield	Eff	Yield	Eff	Yield	Eff	Yield	Eff	Yield	Eff
No cuts	15504	-	770	-	2179	-	5	-	5729	-	703	-
>0 iso-leptons with p>40 GeV	15267	98	758	98	2146	98	5	98	5656	99	693	99
one Z->ll candidate	14194	93	702	93	1986	93	5	93	5275	93	647	93
m(l1) 81-101 GeV	9421	66	464	66	1309	66	3	66	3507	66	438	68
cos(theta_ll) <0.8	8028	85	397	86	1122	86	3	86	2981	85	373	85
m(recoil) 120-1200 GeV	7276	91	362	91	1025	91	3	91	2688	90	328	88
E(j2)>15 GeV	7255	100	361	100	1025	100	3	100	2555	95	299	91
<=2 iso leptons	6685	92	357	99	1018	99	2	100	1618	63	244	82
d23>0, d34>0	6685	100	357	100	1018	100	2	100	1616	100	232	95
All cuts	6685	100	357	100	1018	100	2	100	1616	100	232	100
l=e	3289	-	176	-	501	-	1	-	795	-	114	-
l=mu	3396	-	182	-	518	-	1	-	821	-	118	-
H->had	6685	-	357	-	1018	-	2	-	1227	-	153	-
H->oth	0	-	0	-	0	-	0	-	388	-	79	-
											12	-
										0	-	0
										0	-	0

Efficiency (%)	ZHbb	ZHcc	ZHgg	ZHss	ZHWW	ZHZZ	ZHtautau	ZZ	WW	tt	Zll	Zqq
	43.11	46.41	46.73	46.93	28.21	33.07	17.73	0.62	0.01	0.02	0.02	0.00
Eff. in e channel (%)	ZHbb	ZHcc	ZHgg	ZHss	ZHWW	ZHZZ	ZHtautau	ZZ	WW	tt	Zll	Zqq
	33.23	35.75	35.98	36.12	21.73	25.49	13.73	0.50	0.01	0.01	0.02	0.00
Eff. in mu channel (%)	ZHbb	ZHcc	ZHgg	ZHss	ZHWW	ZHZZ	ZHtautau	ZZ	WW	tt	Zll	Zqq
	60.56	65.22	65.70	66.02	39.64	46.46	24.78	0.83	0.02	0.02	0.01	0.00

Eff. in ZH(other) channels wrt had decays (%)

WW ZZ tautau

47.25 44.66 40.61

Zvv

Cut	vvHbb	vvHcc	vvHgg	vvHss	vvHWW	vvHZZ	vvHtautau	qqH	nueuenZ	Zqq	WW	ZZ	tt
	Yield	Eff	Yield	Eff	Yield	Eff	Yield	Eff	Yield	Eff	Yield	Eff	Eff
No cuts	72289	-	3588	-	10161	-	25	-	26703	-	3278	-	-
No iso-leptons with p>1 GeV	65969	91	3542	99	10884	99	25	100	15832	59	2637	80	193598
15<E_j1<105, 10<E_j2<70 GeV	65513	99	3516	99	10022	99	25	99	15219	96	2203	84	2747
cos(theta_ll) <0.9	57369	88	3075	87	8763	87	21	87	13360	88	1833	83	2352
cos(phi_j1+phi_j2)<0.5	47080	82	2522	82	6987	80	18	82	16189	76	1418	77	1954
cos(phi_j1+phi_j2)<0.999	46134	98	2470	98	6849	98	17	98	9910	98	1390	98	1906
80<mvvis<280, 50<mmiss<350 GeV	46072	100	2465	100	6831	100	17	100	9793	99	1368	98	1903
d23>0, d34>0	46072	100	2465	100	6831	100	17	100	9792	100	1368	100	1857
All cuts	46072	100	2465	100	6831	100	17	100	9792	100	1368	100	1857
H->had	46072	-	2465	-	6831	-	17	-	7817	-	992	-	1825
H->oth	0	-	0	-	0	-	0	-	1975	-	376	-	33
											1654	-	0
										0	-	0	-
										0	-	0	-

Efficiency (%)	vvHbb	vvHcc	vvHgg	vvHss	vvHWW	vvHZZ	vvHtautau	qqH	nueuenZ	Zqq	WW	ZZ	tt
	63.73	68.69	67.22	69.38	36.67	41.73	23.86	1.29	38.78	0.14	2.20	6.77	2.56
Eff. in ZH(other) channels wrt had decays (%)	W W	Z Z	t a u t a u	64.48	61.88	55.80							

Cutflows - 365 GeV

	Lepton cut	$M_{\text{vis}}, E_{\text{vis}}, \theta_{\text{vis}}$	d_{ij}	χ^2
$e^+e^- \rightarrow Z(cc)H(gg)$	95.1	75.3	74.7	72.2
$e^+e^- \rightarrow Z(cc)H(ss)$	95.6	76.0	75.3	73.0
$e^+e^- \rightarrow Z(cc)H(cc)$	90.4	74.0	73.5	70.2
$e^+e^- \rightarrow Z(cc)H(bb)$	80.9	68.6	68.2	63.3
$e^+e^- \rightarrow Z(qq)H(gg)$	99.3	75.0	74.1	72.9
$e^+e^- \rightarrow Z(qq)H(ss)$	99.8	75.7	74.8	73.7
$e^+e^- \rightarrow Z(qq)H(cc)$	94.5	74.8	74.1	71.7
$e^+e^- \rightarrow Z(qq)H(bb)$	85.0	70.5	70.0	65.6
$e^+e^- \rightarrow Z(bb)H(gg)$	86.6	71.8	71.3	67.0
$e^+e^- \rightarrow Z(bb)H(ss)$	87.2	72.4	71.9	67.6
$e^+e^- \rightarrow Z(bb)H(cc)$	81.9	69.3	68.9	64.1
$e^+e^- \rightarrow Z(bb)H(bb)$	72.5	63.0	62.7	56.8
$e^+e^- \rightarrow Z(ss)H(gg)$	99.3	75.8	74.9	73.6
$e^+e^- \rightarrow Z(ss)H(ss)$	99.8	76.5	75.5	74.4
$e^+e^- \rightarrow Z(ss)H(cc)$	94.6	75.4	74.6	72.2
$e^+e^- \rightarrow Z(ss)H(bb)$	85.1	70.9	70.3	66.0

	Lepton cut	$M_{\text{vis}}, \theta_{\text{vis}}$	d_{ij}	χ^2
$e^+e^- \rightarrow Z(bb)H(\tau\tau)$	55.2	49.5	42.5	19.6
$e^+e^- \rightarrow Z(ss)H(\tau\tau)$	61.1	55.6	47.4	22.4
$e^+e^- \rightarrow Z(cc)H(\tau\tau)$	63.8	58.5	49.9	23.6
$e^+e^- \rightarrow Z(qq)H(\tau\tau)$	63.8	58.5	49.9	23.6
$e^+e^- \rightarrow Z(bb)H(Z\gamma)$	78.5	62.4	55.0	46.7
$e^+e^- \rightarrow Z(ss)H(Z\gamma)$	86.3	67.3	58.4	50.7
$e^+e^- \rightarrow Z(cc)H(Z\gamma)$	90.3	69.1	59.4	52.0
$e^+e^- \rightarrow Z(qq)H(Z\gamma)$	90.1	68.6	58.9	51.6
$e^+e^- \rightarrow Z(bb)H(WW)$	57.8	49.8	48.1	36.6
$e^+e^- \rightarrow Z(ss)H(WW)$	63.8	53.7	51.6	40.2
$e^+e^- \rightarrow Z(cc)H(WW)$	66.8	55.0	52.6	41.2
$e^+e^- \rightarrow Z(qq)H(WW)$	66.7	54.6	52.3	40.8
$e^+e^- \rightarrow Z(bb)H(ZZ)$	73.0	60.4	53.8	39.6
$e^+e^- \rightarrow Z(ss)H(ZZ)$	80.8	65.2	58.5	43.7
$e^+e^- \rightarrow Z(cc)H(ZZ)$	84.7	67.7	60.4	45.4
$e^+e^- \rightarrow Z(qq)H(ZZ)$	84.7	67.3	60.0	45.0
$e^+e^- \rightarrow Z(\nu\nu)H(jj)$	84.5	1.8	0.8	0.0
$e^+e^- \rightarrow W^+W^-$	63.8	41.8	31.2	27.9
$e^+e^- \rightarrow ZZ$	76.8	37.7	32.7	29.9
$e^+e^- \rightarrow Z/\gamma^*(q\bar{q})$	99.6	31.2	15.9	15.4
$e^+e^- \rightarrow tt$	53.6	50.5	49.5	37.9

- Events (orthogonal to $ll, \nu\nu$ analysis)

- $n_j = 4$ per event
- Cuts on leptons
 - lepton (both e, μ) $p_l < 20 \text{ GeV}$ & $n_{e,\mu} \leq 2$ per event

- Cuts on $m_{\text{vis}}, \theta_{\text{vis}}$
 - $m_{\text{vis}} > 150 \text{ GeV}, E_{\text{vis}} > 190 \text{ GeV}$
 - $0.15 < \theta_{\text{vis}} < 3$

- Clustering merging parameter cut (d_{12}, d_{23}, d_{34})

- χ^2 on the energy correction <100

- On the jet pairs

- Pairs: Find minimum $(m_{j_1 j_2} - m_Z)^2 + (m_{j_3 j_4} - m_H)^2$ for all jet combination

$$\sqrt{(m_{z_{jj}} - m_W)^2 + (m_{H_{jj}} - m_W)^2} > 10, \sqrt{(m_{z_{jj}} - m_Z)^2 + (m_{H_{jj}} - m_Z)^2} > 10, \text{ ZZ, WW rejection}$$


- $50 < m_{Z_{jj}} < 125 \text{ GeV}, m_{H_{jj}} > 91 \text{ GeV}$

Selection - 240 GeV

		Before selection	Lepton cuts	$ \cos(\theta_{inv}) < 0.85$	kinematics & d	efficiency(%)
Hbb	Yield(10^5)	2.91	2.67	2.28	2.28	78.4
	Sig.	10.59	10.34	16.01	54.0	
Hcc	Yield(10^4)	1.44	1.41	1.21	1.21	84.0
	Sig.	0.52	0.54	0.84	2.87	
Hgg	Yield(10^4)	3.59	3.59	3.08	3.07	85.5
	Sig.	1.30	1.39	2.16	7.27	
Hss	Yield	110	110	93.9	93.9	85.5
	Sig.	0.004	0.004	0.006	0.02	
$H\tau\tau$	Yield(10^4)	2.73	1.97	1.67	1.38	50.5
	Sig.	0.99	0.76	1.17	3.27	
HWW	Yield(10^4)	10.4	7.34	6.28	6.10	58.7
HZZ	Yield(10^4)	1.25	1.10	0.94	0.80	64.0
qqH	Yield(10^5)	14.7	12.6	8.86	0.56	3.8
WW	Yield(10^7)	17.3	10.6	6.35	1.26	7.3
ZZ	Yield(10^6)	14.0	11.0	6.93	2.60	18.6
Zqq	Yield(10^7)	56.6	54.7	13.1	0.22	0.4

$$S/\sqrt{S+B}$$

Backup - Purity categories



	bb	cc	gg	ss	zz	ww	tautau
Zll_npur1_240(MCst.)	0.68	4.17	2.29	309.73	14.21	1.75	3.62
Zll_npur2_240(MCst.)	0.67	3.98	2.17	234.47	12.77	1.70	3.74
Zll_npur3_240(MCst.)	0.67	3.93	2.16	229.23	12.52	1.70	3.73
<hr/>							
Zll_npur1_365(MCst.)	1.74	11.66	6.00	1545.43	57.32	5.60	12.88
Zll_npur2_365(MCst.)	1.72	11.09	5.80	1341.34	50.52	5.48	11.57
Zll_npur3_365(MCst.)	1.71	10.96	5.69	1117.70	41.84	5.37	12.59

For $Z\nu\nu$, all categories yield the best precision with 3 purity categories

Yields for Zll at 240 GeV

	bb	cc	gg	ss	WW	ZZ	tautau	bkg	TOTAL
bb_low	8043.0 (76)	0.6 (0)	61.5 (1)	0.0 (0)	5.5 (0)	103.0 (1)	0.0 (0)	2895.1	11108.7
bb_mid	7330.8 (77)	0.2 (0)	13.9 (0)	0.0 (0)	1.1 (0)	16.2 (0)	0.0 (0)	1775.7	9137.9
bb_high	32970.0 (175)	0.0 (0)	3.8 (0)	0.0 (0)	0.2 (0)	4.1 (0)	0.0 (0)	2389.3	35367.4
cc_low	57.8 (1)	458.0 (7)	79.0 (1)	0.1 (0)	230.6 (4)	62.1 (1)	0.0 (0)	3342.0	4229.5
cc_mid	19.7 (0)	474.4 (10)	12.8 (0)	0.0 (0)	17.6 (0)	5.8 (0)	0.0 (0)	1693.6	2223.9
cc_high	5.0 (0)	1487.7 (27)	3.7 (0)	0.0 (0)	1.2 (0)	0.9 (0)	0.0 (0)	1632.5	3131.2
gg_low	418.6 (6)	16.3 (0)	1812.0 (26)	0.8 (0)	596.6 (9)	84.7 (1)	0.0 (0)	1970.2	4899.3
gg_mid	92.4 (2)	4.4 (0)	2525.4 (43)	0.3 (0)	170.1 (3)	23.5 (0)	0.0 (0)	712.1	3528.1
gg_high	9.2 (0)	0.7 (0)	1628.7 (39)	0.0 (0)	14.8 (0)	2.1 (0)	0.0 (0)	96.7	1752.1
ss_low	2.0 (0)	10.2 (0)	318.8 (5)	5.0 (0)	134.1 (2)	64.5 (1)	0.1 (0)	4241.1	4775.8
ss_mid	0.2 (0)	3.9 (0)	41.8 (1)	5.2 (0)	4.4 (0)	4.1 (0)	0.0 (0)	2207.7	2267.4
ss_high	0.0 (0)	1.0 (0)	7.1 (0)	9.4 (0)	0.1 (0)	0.1 (0)	0.0 (0)	1668.6	1686.4
WW_low	33.7 (0)	41.3 (1)	100.2 (1)	0.1 (0)	2132.6 (30)	94.6 (1)	4.0 (0)	2637.1	5043.5
WW_mid	14.5 (0)	15.7 (0)	30.7 (1)	0.0 (0)	1583.8 (30)	36.4 (1)	1.2 (0)	1051.2	2733.5
WW_high	16.8 (0)	14.5 (0)	26.1 (0)	0.0 (0)	5689.0 (65)	43.0 (0)	1.0 (0)	1855.4	7645.9
ZZ_low	2117.1 (19)	44.9 (0)	116.4 (1)	0.2 (0)	733.4 (7)	411.2 (4)	1.8 (0)	9017.1	12442.1
ZZ_mid	295.7 (4)	4.5 (0)	17.7 (0)	0.0 (0)	144.6 (2)	208.1 (3)	0.4 (0)	4087.8	4758.8
ZZ_high	75.8 (1)	0.9 (0)	4.2 (0)	0.0 (0)	109.4 (1)	524.1 (5)	0.1 (0)	10477.7	11192.2
tautau_high	0.0 (0)	0.0 (0)	0.0 (0)	0.0 (0)	262.6 (2)	29.1 (0)	3777.6 (26)	16444.0	20513.3
TOTAL	51502.2	2579.2	6803.8	21.1	11831.8	1717.6	3786.2		

Yields for $Z\nu\nu$ at 240 GeV

	Expected yields (significance s/sqrt(tot)) for Znunu at E = 240								
	bb	cc	gg	ss	WW	ZZ	tautau	bkg	TOTAL
bb_low	37028.7 (72)	6.4 (0)	337.8 (1)	0.0 (0)	15.1 (0)	423.7 (1)	0.4 (0)	226228.0	264040.2
bb_mid	39730.1 (113)	1.7 (0)	40.8 (0)	0.0 (0)	1.4 (0)	61.9 (0)	0.1 (0)	83828.9	123664.9
bb_high	129708.7 (289)	0.3 (0)	10.1 (0)	0.0 (0)	0.1 (0)	8.7 (0)	0.1 (0)	71205.7	200933.7
cc_low	130.5 (0)	1776.9 (3)	343.7 (1)	0.1 (0)	812.4 (1)	261.4 (0)	0.1 (0)	332054.7	335379.7
cc_mid	47.5 (0)	1665.6 (5)	74.0 (0)	0.0 (0)	71.5 (0)	29.9 (0)	0.0 (0)	93776.2	95664.6
cc_high	24.2 (0)	7168.4 (27)	25.8 (0)	0.0 (0)	12.9 (0)	6.4 (0)	0.0 (0)	64817.7	72055.3
gg_low	744.0 (3)	44.1 (0)	4432.3 (16)	1.8 (0)	977.3 (4)	133.6 (0)	0.0 (0)	66351.5	72684.4
gg_mid	339.9 (2)	21.0 (0)	4754.8 (25)	0.9 (0)	472.2 (3)	65.4 (0)	0.0 (0)	29167.5	34821.6
gg_high	162.9 (1)	13.7 (0)	14473.8 (76)	0.7 (0)	368.8 (2)	48.2 (0)	0.0 (0)	21558.8	36627.0
ss_low	3.1 (0)	33.5 (0)	1045.4 (3)	7.3 (0)	460.5 (1)	199.7 (1)	0.0 (0)	131829.1	133578.8
ss_mid	1.0 (0)	11.9 (0)	283.9 (1)	4.0 (0)	98.5 (0)	54.4 (0)	0.0 (0)	44494.3	44948.0
ss_high	1.2 (0)	41.8 (0)	641.1 (2)	77.2 (0)	107.1 (0)	83.5 (0)	0.0 (0)	161135.3	162087.2
WW_low	170.9 (0)	186.5 (0)	756.6 (1)	0.4 (0)	9842.1 (11)	523.1 (1)	0.2 (0)	813993.5	825473.4
WW_mid	91.0 (0)	96.5 (0)	199.4 (0)	0.1 (0)	7634.3 (9)	164.0 (0)	0.1 (0)	788286.0	796471.4
WW_high	84.0 (0)	55.4 (0)	112.0 (0)	0.1 (0)	16290.3 (13)	130.0 (0)	0.2 (0)	1546240.7	1562912.7
ZZ_low	9765.6 (10)	203.9 (0)	738.2 (1)	1.1 (0)	2723.3 (3)	1678.1 (2)	1.9 (0)	970946.3	986058.3
ZZ_mid	1112.0 (1)	12.1 (0)	108.0 (0)	0.2 (0)	352.4 (0)	789.1 (1)	0.1 (0)	639893.7	642267.5
ZZ_high	57.4 (0)	0.7 (0)	10.1 (0)	0.0 (0)	80.9 (0)	453.4 (1)	0.0 (0)	652726.7	653329.3
tautau_low	1.2 (0)	0.0 (0)	0.0 (0)	0.0 (0)	0.7 (0)	2.5 (0)	29.3 (0)	14886.1	14919.8
tautau_mid	0.0 (0)	0.0 (0)	0.0 (0)	0.0 (0)	0.1 (0)	0.1 (0)	16.8 (0)	3182.0	3198.9
tautau_high	0.5 (0)	0.0 (0)	0.0 (0)	0.0 (0)	2.3 (0)	1.8 (0)	5358.7 (9)	32866.1	334029.3
TOTAL	270706.6	13919.7	35191.6	115.1	52155.9	6836.2	9194.2		

Yields for Zll at 365 GeV


	Expected yields (significance s/sqrt(tot)) for Zll at E = 365								
	bb	cc	gg	ss	WW	ZZ	tautau	bkg	TOTAL
bb_low	546.9 (18)	0.2 (0)	6.9 (0)	0.0 (0)	1.2 (0)	11.0 (0)	0.0 (0)	410.1	976.4
bb_mid	2117.2 (40)	0.3 (0)	8.7 (0)	0.0 (0)	0.8 (0)	10.9 (0)	0.0 (0)	710.9	2848.8
bb_high	5392.6 (69)	0.1 (0)	0.6 (0)	0.0 (0)	0.0 (0)	1.0 (0)	0.0 (0)	686.7	6081.1
cc_low	7.5 (0)	63.1 (2)	11.9 (0)	0.0 (0)	35.5 (1)	9.2 (0)	0.0 (0)	516.3	643.5
cc_mid	3.8 (0)	109.9 (4)	3.6 (0)	0.0 (0)	5.5 (0)	2.3 (0)	0.0 (0)	518.7	643.9
cc_high	1.0 (0)	234.4 (9)	0.6 (0)	0.0 (0)	0.4 (0)	0.2 (0)	0.0 (0)	468.2	704.6
gg_low	39.9 (1)	2.6 (0)	312.9 (11)	0.1 (0)	87.3 (3)	12.4 (0)	0.0 (0)	412.8	868.1
gg_mid	9.8 (0)	0.8 (0)	385.1 (16)	0.0 (0)	25.9 (1)	3.8 (0)	0.0 (0)	168.6	594.2
gg_high	0.6 (0)	0.2 (0)	248.5 (14)	0.0 (0)	3.1 (0)	0.5 (0)	0.0 (0)	70.8	323.7
ss_low	0.4 (0)	2.2 (0)	70.7 (2)	1.3 (0)	22.1 (1)	10.8 (0)	0.0 (0)	1733.8	1841.3
ss_mid	0.0 (0)	0.1 (0)	1.6 (0)	0.3 (0)	0.1 (0)	0.1 (0)	0.0 (0)	220.6	222.8
ss_high	0.0 (0)	0.1 (0)	1.2 (0)	1.2 (0)	0.1 (0)	0.1 (0)	0.0 (0)	490.2	492.8
WW_low	5.4 (0)	12.4 (0)	36.6 (1)	0.0 (0)	746.2 (17)	28.4 (1)	0.4 (0)	1071.7	1901.0
WW_mid	0.3 (0)	0.5 (0)	0.8 (0)	0.0 (0)	64.6 (5)	1.0 (0)	0.0 (0)	81.6	148.8
WW_high	0.8 (0)	1.5 (0)	2.4 (0)	0.0 (0)	468.0 (12)	3.8 (0)	0.0 (0)	1008.8	1485.2
ZZ_low	333.6 (7)	6.4 (0)	14.7 (0)	0.0 (0)	73.9 (2)	46.5 (1)	0.1 (0)	1753.1	2228.2
ZZ_mid	111.3 (2)	0.6 (0)	4.6 (0)	0.0 (0)	34.8 (1)	59.1 (1)	0.0 (0)	3604.8	3815.2
ZZ_high	1.5 (0)	0.0 (0)	0.1 (0)	0.0 (0)	2.2 (0)	22.3 (1)	0.0 (0)	493.8	520.0
tautau_low	0.0 (0)	0.0 (0)	0.0 (0)	0.0 (0)	8.6 (0)	1.1 (0)	140.4 (4)	1275.9	1426.1
tautau_high	0.0 (0)	0.0 (0)	0.0 (0)	0.0 (0)	0.2 (0)	0.2 (0)	244.4 (8)	813.0	1057.8
TOTAL	279279.4	14355.0	36303.2	118.0	53736.2	7060.9	9579.6		

Yields for Zνν at 365 GeV

	bb	cc	gg	ss	WW	ZZ	tautau	bkg	TOTAL
bb_low	612.4 (12)	0.7 (0)	11.9 (0)	0.0 (0)	0.6 (0)	17.6 (0)	0.0 (0)	1960.5	2603.7
bb_mid	2277.7 (25)	0.9 (0)	19.2 (0)	0.0 (0)	1.5 (0)	25.0 (0)	0.0 (0)	6114.6	8438.8
bb_high	15474.2 (114)	0.5 (0)	7.0 (0)	0.0 (0)	0.2 (0)	8.6 (0)	0.0 (0)	2837.1	18327.4
cc_low	17.3 (0)	238.4 (2)	46.8 (0)	0.0 (0)	129.7 (1)	29.1 (0)	0.0 (0)	14911.8	15373.2
cc_mid	2.2 (0)	200.6 (4)	5.0 (0)	0.0 (0)	4.5 (0)	3.0 (0)	0.0 (0)	2405.1	2620.5
cc_high	1.1 (0)	659.4 (15)	1.6 (0)	0.0 (0)	0.4 (0)	0.5 (0)	0.0 (0)	1289.1	1952.2
gg_low	141.9 (2)	10.8 (0)	1459.5 (19)	0.5 (0)	346.1 (4)	44.8 (1)	0.0 (0)	4155.9	6159.4
gg_mid	6.0 (0)	0.7 (0)	561.0 (20)	0.0 (0)	23.7 (1)	3.4 (0)	0.0 (0)	203.7	798.6
gg_high	1.3 (0)	0.2 (0)	679.6 (25)	0.0 (0)	9.0 (0)	1.3 (0)	0.0 (0)	56.5	747.9
ss_low	0.3 (0)	6.2 (0)	224.4 (2)	3.5 (0)	60.8 (1)	27.5 (0)	0.0 (0)	8322.5	8645.2
ss_mid	0.0 (0)	0.7 (0)	7.8 (0)	2.0 (0)	0.3 (0)	0.3 (0)	0.0 (0)	593.0	604.2
ss_high	0.0 (0)	0.2 (0)	1.6 (0)	2.5 (0)	0.0 (0)	0.0 (0)	0.0 (0)	251.6	255.8
WW_low	5.7 (0)	16.4 (0)	43.5 (0)	0.0 (0)	1195.4 (8)	32.4 (0)	0.0 (0)	23020.3	24313.7
WW_mid	0.2 (0)	2.7 (0)	5.9 (0)	0.0 (0)	640.3 (7)	6.2 (0)	0.0 (0)	8361.2	9016.5
WW_high	0.1 (0)	0.2 (0)	0.4 (0)	0.0 (0)	175.9 (5)	0.7 (0)	0.0 (0)	1151.5	1328.8
ZZ_low	348.6 (2)	12.8 (0)	40.5 (0)	0.1 (0)	164.5 (1)	77.0 (1)	0.0 (0)	19706.9	20350.5
ZZ_mid	133.1 (1)	2.5 (0)	8.3 (0)	0.0 (0)	18.5 (0)	37.3 (0)	0.0 (0)	14417.9	14617.6
ZZ_high	16.0 (0)	0.5 (0)	1.8 (0)	0.0 (0)	6.7 (0)	15.4 (0)	0.0 (0)	50616.6	50657.1
tautau_low	0.0 (0)	0.0 (0)	0.0 (0)	0.0 (0)	0.0 (0)	0.0 (0)	0.1 (0)	552.9	553.1
tautau_mid	0.1 (0)	0.0 (0)	0.0 (0)	0.0 (0)	0.0 (0)	0.0 (0)	1.4 (0)	156.9	158.3
tautau_high	0.0 (0)	0.0 (0)	0.0 (0)	0.0 (0)	0.0 (0)	0.0 (0)	109.5 (4)	692.0	801.5
TOTAL	298317.4	15509.6	39429.2	126.6	56514.3	7390.8	9690.6		

The FCC experiment - FCC-ee

FCC-ee functioning schedule



- **FCC** (Future Circular Collider)
 - ~90km circular collider project
 - Two periods on functioning : **FCC-ee** & FCC-hh



- Great improvement on EW studies wrt **LEP**
- Higgs factory
- Great prospects for new physics (hh)

Fitting strategy for all channels

Fitting using **CMS** tool **CombineTF** to extract $\sigma \cdot \text{BR}$ in each category

7 POIs, Hbb, Hcc, Hss, Hgg, H $\tau\tau$, HWW, HZZ (floating parameters)

Binning :

BNL : 1 GeV bin width (projected in 5 GeV for the recoil mass)

APC : custom binning *by-eye* (negligible/little improvement compared to 1 GeV width)

Empty categories removed from the fit

Rebinned such that :

There is at least one **expected** (sum of sig+bkg) event in each bin

Add 10-6 events in empty bins to help fit convergence, without implementing a bias

Monte Carlo stats uncertainties

No systematics on the backgrounds