



Contribution ID: 354

Type: **Parallel**

The upgrade of the ATLAS Trigger and Data Acquisition system for the High Luminosity LHC

Tuesday 8 July 2025 17:10 (20 minutes)

The ATLAS experiment at CERN is constructing upgraded system for the “High Luminosity LHC”, with collisions due to start in 2030. In order to deliver an order of magnitude more data than previous LHC runs, 14 TeV protons will collide with an instantaneous luminosity of up to $7.5 \times 10^{34} \text{ cm}^{-2} \text{s}^{-1}$, resulting in much higher pileup and data rates than the current experiment was designed to handle. While this is essential to realise the physics programme, it presents a huge challenge for the detector, trigger, data acquisition and computing. The detector upgrades themselves also present new requirements and opportunities for the trigger and data acquisition system.

The design of the TDAQ upgrade comprises: a hardware-based low-latency real-time Trigger operating at 40 MHz, Data Acquisition which combines custom readout with commodity hardware and networking to deal with 4.6 TB/s input, and an Event Filter running at 1 MHz which combines offline-like algorithms on a large commodity compute service with the potential to be augmented by commercial accelerators. Commodity servers and networks are used as far as possible, with custom ATCA boards, high speed links and powerful FPGAs deployed in the low-latency parts of the system. Offline-style clustering and jet-finding in FPGAs, and accelerated track reconstruction are designed to combat pileup in the Trigger and Event Filter respectively.

This contribution will report recent progress on the design, technology and construction of the system. The physics motivation and expected performance will be shown for key physics processes.

Secondary track

T12 - Data Handling and Computing

Author: COLLABORATION, ATLAS

Session Classification: T12

Track Classification: T12 - Data Handling and Computing