








The Dawn of Cosmic Dawn Cosmology

Ely Kovetz

Ben-Gurion University & UT Austin (Sabbatical)



Jordan Flitter



Tal Adi



Hovav Lazare




Sarah Libanore




Debanjan Sarkar

LIM Probes all *Standard* Questions in Cosmology

LIM Probes all *Standard* Questions in Cosmology




LIM Probes all *Standard* Questions in Cosmology




Core questions in cosmology?

LIM Probes all *Standard* Questions in Cosmology




Core questions in cosmology?




Inflation

LIM Probes all *Standard* Questions in Cosmology




Core questions in cosmology?




Inflation

$$\phi : m_\phi, V(\phi)$$

LIM Probes all *Standard* Questions in Cosmology




Core questions in cosmology?




Inflation

$$\phi : m_\phi, V(\phi)$$




Dark Matter

LIM Probes all *Standard* Questions in Cosmology




Core questions in cosmology?



Inflation


$$\phi: m_\phi, V(\phi)$$




Dark Matter

$$\chi: m_\chi, \mathcal{L}(\chi)$$

LIM Probes all *Standard* Questions in Cosmology




Core questions in cosmology?




Inflation

$$\phi: m_\phi, V(\phi)$$




Dark Matter

$$\chi: m_\chi, \mathcal{L}(\chi)$$




Dark Energy

LIM Probes all *Standard* Questions in Cosmology




Core questions in cosmology?




Inflation

$$\phi: m_\phi, V(\phi)$$



Dark Matter


$$\chi: m_\chi, \mathcal{L}(\chi)$$




Dark Energy

$$\Lambda?$$

LIM Probes all *Standard* Questions in Cosmology




Core questions in cosmology?




Inflation

$$\phi: m_\phi, V(\phi)$$



Dark Matter



$$\chi: m_\chi, \mathcal{L}(\chi)$$




Dark Energy

$$\Lambda? w(a) = w_0 + (1 - a)w_a?$$

LIM Probes all *Standard* Questions in Cosmology




Core questions in cosmology?




Inflation

$$\phi: m_\phi, V(\phi)$$



Dark Matter



$$\chi: m_\chi, \mathcal{L}(\chi)$$



Dark Energy




$$\Lambda? w(a) = w_0 + (1 - a)w_a?$$

LIM Probes all *Standard* Questions in Cosmology



Core questions in cosmology?

Can *cosmology* weigh in?



Inflation

Dark Matter



Dark Energy

$$\phi: m_\phi, V(\phi)$$

$$\chi: m_\chi, \mathcal{L}(\chi)$$




$$\Lambda? w(a) = w_0 + (1 - a)w_a?$$

LIM Probes all *Standard* Questions in Cosmology



Core questions in cosmology?


Can *cosmology* weigh in?



Inflation

Dark Matter

Dark Energy





Neutrino masses

$$\phi: m_\phi, V(\phi)$$

$$\chi: m_\chi, \mathcal{L}(\chi)$$





$$\Lambda? w(a) = w_0 + (1 - a)w_a?$$

LIM Probes all *Standard* Questions in Cosmology



Core questions in cosmology?

Can *cosmology* weigh in?



Inflation

Dark Matter

Dark Energy

Neutrino masses



$$\phi: m_\phi, V(\phi)$$

$$\chi: m_\chi, \mathcal{L}(\chi)$$

$$\Lambda? w(a) = w_0 + (1 - a)w_a?$$


$$\sum_{e,\mu,\tau} m_\nu \gtrsim 60 \text{ meV? } 100 \text{ meV?}$$

Bold(?) claim: LIM can *uniquely* probe all of these!




Core questions in cosmology?

Can *cosmology* weigh in?




Inflation

$$\phi : m_\phi, V(\phi)$$




Dark Matter

$$\chi : m_\chi, \mathcal{L}(\chi)$$



Dark Energy



$$\Lambda ? w(a) = w_0 + (1 - a)w_a ?$$



Neutrino masses


$$\sum_{e,\mu,\tau} m_\nu \gtrsim 60 \text{ meV? } 100 \text{ meV?}$$

Takeaway: LIM can *uniquely* probe Small Scales




Core questions in cosmology?


Can *cosmology* weigh in?




Inflation



Dark Matter



Dark Energy




Neutrino masses

$$\phi : m_\phi, V(\phi)$$


$$\chi : m_\chi, \mathcal{L}(\chi)$$

$$\Lambda ? w(a) = w_0 + (1 - a)w_a ?$$

$$\sum_{e,\mu,\tau} m_\nu \gtrsim 60 \text{ meV? } 100 \text{ meV?}$$




LIM Cosmology: Inflationary Fluctuations




LIM Cosmology: Inflationary Fluctuations


Inflation predicts scale-invariance over >20 orders of magnitude. We've probed only ~ 4 .



LIM Cosmology: Inflationary Fluctuations

Inflation predicts scale-invariance over >20 orders of magnitude. We've probed only ~ 4 .







LIM Cosmology: Inflationary Fluctuations

Inflation predicts scale-invariance over >20 orders of magnitude. We've probed only ~ 4 .

(i) CMB: limited by Silk damping.







LIM Cosmology: Inflationary Fluctuations

Inflation predicts scale-invariance over >20 orders of magnitude. We've probed only ~ 4 .

(i) CMB: limited by Silk damping. (ii) LSS: theoretical control limited to linear scales.








LIM Cosmology: Inflationary Fluctuations

Inflation predicts scale-invariance over >20 orders of magnitude. We've probed only ~ 4 .

(i) CMB: limited by Silk damping. (ii) LSS: theoretical control limited to linear scales.



Adapted from Sabti et al.,
ApJL 2022





LIM Cosmology: Inflationary Fluctuations


Inflation predicts scale-invariance over >20 orders of magnitude. We've probed only ~ 4 .

(i) CMB: limited by Silk damping. (ii) LSS: theoretical control limited to linear scales.

LIM can access far smaller scales via galaxies residing in the smallest dark matter halos:



Adapted from Sabti et al.,
ApJL 2022





LIM Cosmology: Inflationary Fluctuations

Inflation predicts scale-invariance over >20 orders of magnitude. We've probed only ~ 4 .


(i) CMB: limited by Silk damping. (ii) LSS: theoretical control limited to linear scales.

LIM can access far smaller scales via galaxies residing in the smallest dark matter halos:

- 21-cm: Sensitive to the first (and smallest) galaxies in the Universe



Adapted from Sabti et al.,
ApJL 2022





LIM Cosmology: Inflationary Fluctuations

Inflation predicts scale-invariance over >20 orders of magnitude. We've probed only ~ 4 .


(i) CMB: limited by Silk damping. (ii) LSS: theoretical control limited to linear scales.

LIM can access far smaller scales via galaxies residing in the smallest dark matter halos:

- 21-cm: Sensitive to the first (and smallest) galaxies in the Universe
- Star-formation LIM: Sensitive to the integrated signal from the faintest galaxies



Adapted from Sabti et al.,
ApJL 2022





LIM Cosmology: Inflationary Fluctuations

Inflation predicts scale-invariance over >20 orders of magnitude. We've probed only ~ 4 .


(i) CMB: limited by Silk damping. (ii) LSS: theoretical control limited to linear scales.

LIM can access far smaller scales via galaxies residing in the smallest dark matter halos:

- 21-cm: Sensitive to the first (and smallest) galaxies in the Universe
- Star-formation LIM: Sensitive to the integrated signal from the faintest galaxies



Adapted from Sabti et al.,
ApJL 2022





LIM Cosmology: Inflationary Fluctuations

Inflation predicts scale-invariance over >20 orders of magnitude. We've probed only ~ 4 .


(i) CMB: limited by Silk damping. (ii) LSS: theoretical control limited to linear scales.

LIM can access far smaller scales via galaxies residing in the smallest dark matter halos:

- 21-cm: Sensitive to the first (and smallest) galaxies in the Universe
- Star-formation LIM: Sensitive to the integrated signal from the faintest galaxies




Adapted from Sabti et al.,
ApJL 2022




Cosmic Dawn Cosmology: Small-Scales

Matter power spectrum:

$$\langle \delta_m(\vec{k}) \delta_m(\vec{k}') \rangle = (2\pi)^3 \delta_D^3(\vec{k} - \vec{k}') P_m(k)$$






Cosmic Dawn Cosmology: Small-Scales


Matter power spectrum:

$$\langle \delta_m(\vec{k}) \delta_m(\vec{k}') \rangle = (2\pi)^3 \delta_D^3(\vec{k} - \vec{k}') P_m(k)$$

Current bounds:

- CMB
- Galaxies
- Ly- α Forest





Cosmic Dawn Cosmology: Small-Scales


Matter power spectrum:


$$\langle \delta_m(\vec{k}) \delta_m(\vec{k}') \rangle = (2\pi)^3 \delta_D^3(\vec{k} - \vec{k}') P_m(k)$$

Current bounds:

- CMB
- Galaxies
- Ly- α Forest


What about Cosmic Dawn?





Cosmic Dawn Cosmology: Small-Scales


Cosmic Dawn bounds:



Starting Point: Combining CMB and 21cm-LIM




Starting Point: Combining CMB and 21cm-LIM

CMB






Starting Point: Combining CMB and 21cm-LIM

CMB




Starting Point: Combining CMB and 21cm-LIM







CMB



21cm



Starting Point: Combining CMB and 21cm-LIM



21 cm Line-Intensity Mapping: Public Codes

Full radiative-transfer hydrodynamical simulation (extremely computationally expensive):

CoDa (Ocvirk et al., MNRAS 2016) 21SSD (Semelin, MNRAS 2017) THESAN (Kannan et al., MNRAS 2011)

Ray-tracing algorithms (applied to N-body simulations; also very expensive):

C^2 – Ray (Mellema et al., New Astron. 2006) CRASH (Maselli et al., MNRAS 2003)

One-dimensional radiative transfer (much faster, approximated):

BEARS (Thomas et al., MNRAS 2009) GRIZZLY (Ghara et al., MNRAS 2018) BEORN (Schaeffer et al., arXiv:2305.15466)

Purely analytic codes (fastest):

CAMB (Lewis and Challinor, PRD 2007) Zeus21 (Munoz, arXiv:2302.08506) X21 (Katz et al., arXiv:2309.XXXXX)

Semi-numerical codes (excursion-set formalism):

SimFAST21 (Santos et. al, MNRAS 2010) 21cmFAST (Mesinger et al., MNRAS 2011)

21 cm Line-Intensity Mapping: Public Codes

Full radiative-transfer hydrodynamical simulation (extremely computationally expensive):

CoDa (Ocvirk et al., MNRAS 2016) 21SSD (Semelin, MNRAS 2017) THESAN (Kannan et al., MNRAS 2011)

Ray-tracing algorithms (applied to N-body simulations; also very expensive):

C² – Ray (Mellema et al., New Astron. 2006) CRASH (Maselli et al., MNRAS 2003)

One-dimensional radiative transfer (much faster, approximated):

BEARS (Thomas et al., MNRAS 2009) GRIZZLY (Ghara et al., MNRAS 2018) BEORN (Schaeffer et al., arXiv:2305.15466)


Purely analytic codes (fastest):

CAMB (Lewis and Challinor, PRD 2007) Zeus21 (Munoz, arXiv:2302.08506) X21 (Katz et al., arXiv:2309.XXXXX)

Semi-numerical codes (excursion-set formalism):


SimFAST21 (Santos et. al, MNRAS 2010) **21 cmFAST** (Mesinger et al., MNRAS 2011)

New: First-Class Code for Cosmology with 21cm




New: First-Class Code for Cosmology with 21 cm

Limitations for new physics:




New: First-Class Code for Cosmology with 21 cm



Limitations for new physics:

- Initialized at $z = 35$


New: First-Class Code for Cosmology with 21 cm



Limitations for new physics:

- Initialized at $z = 35$
- Homogeneous initial boxes


New: First-Class Code for Cosmology with 21 cm



Limitations for new physics:

- Initialized at $z = 35$
- Homogeneous initial boxes
- Assumes $\delta_b = \delta_m$


New: First-Class Code for Cosmology with 21 cm



Limitations for new physics:

- Initialized at $z = 35$
- Homogeneous initial boxes
- Assumes $\delta_b = \delta_m$
- Astro-cosmo degeneracy


New: First-Class Code for Cosmology with 21 cm



Limitations for new physics:

- Initialized at $z = 35$
- Homogeneous initial boxes
- Assumes $\delta_b = \delta_m$
- Astro-cosmo degeneracy
- Slow in tight coupling regime


New: First-Class Code for Cosmology with 21 cm



Limitations for new physics:

- Initialized at $z = 35$
- Homogeneous initial boxes
- Assumes $\delta_b = \delta_m$
- Astro-cosmo degeneracy
- Slow in tight coupling regime
e.g. at high redshift:

New: First-Class Code for Cosmology with 21cm




Limitations for new physics:

- Initialized at $z = 35$
- Homogeneous initial boxes
- Assumes $\delta_b = \delta_m$
- Astro-cosmo degeneracy
- Slow in tight coupling regime
e.g. at high redshift:

$$dT_k/dz \propto (\Gamma_C/H) (T_\gamma - T_k)$$

New: First-Class Code for Cosmology with 21cm




Limitations for new physics:

- Initialized at $z = 35$
- Homogeneous initial boxes
- Assumes $\delta_b = \delta_m$
- Astro-cosmo degeneracy
- Slow in tight coupling regime
e.g. at high redshift:

$$dT_k/dz \propto (\Gamma_C/H) \begin{pmatrix} T_\gamma - T_k \\ \gg 1 & \ll 1 \end{pmatrix}$$

New: First-Class Code for Cosmology with 21cm



Limitations for new physics:

- Initialized at $z = 35$
- Homogeneous initial boxes
- Assumes $\delta_b = \delta_m$
- Astro-cosmo degeneracy
- Slow in tight coupling regime
e.g. at high redshift:


$$dT_k/dz \propto \left(\frac{\Gamma_C}{H} \right) \begin{pmatrix} T_\gamma - T_k \\ \gg 1 & \ll 1 \end{pmatrix}$$

→ requires $\Delta z \ll 1$ to solve

New: First-Class Code for Cosmology with 21 cm

Solution:

- Use initial conditions from a Boltzmann solver
 - Initialize with CLASS at $z = 1100$
- Calculate accurate recombination history
 - Incorporate Hyrec into the code
- Consistently track $\delta_b, \delta_m, \nu_{cb}, T_{\{i\}}$ evolution
 - Inhomogeneous boxes at $z = 35$
- Fold-in cosmic microwave background
 - Combined CMB+21cm constraints
- Astrophysical vs. cosmological effects
 - Explore parameter degeneracies
- Slow? (need $\Delta z \ll 1$ at Compton tight coupling)
 - Perturb in $\epsilon_{\gamma b} = H/\Gamma_C$, and solve for $\epsilon_{\gamma b}, \Delta T_{\gamma b}, \bar{T}_{\gamma b}$



New: First-Class Code for Cosmology with 21cm



J. Flitter

21cmFirstCLASS I. Cosmological tool for Λ CDM and beyond


Jordan Flitter^{1,*} and Ely D. Kovetz¹

¹Physics Department, Ben-Gurion University of the Negev, Beer-Sheva 84105, Israel


21cmFirstCLASS II. Early linear fluctuations of the 21cm signal

Jordan Flitter^{1,*} and Ely D. Kovetz¹

¹Physics Department, Ben-Gurion University of the Negev, Beer-Sheva 84105, Israel



Find it on Github: <https://github.com/jordanflitter/21cmFirstCLASS>



New: First-Class Code for Cosmology with 21cm


📖 README 📄 MIT license

21cmFirstCLASS

This is an extension of the popular `21cmFAST` code that interfaces with `CLASS` to generate initial conditions at recombination that are consistent with the input cosmological model. These initial conditions can be set during the time of recombination, allowing one to compute the 21cm signal (and its spatial fluctuations) throughout the dark ages, as well as in the proceeding cosmic dawn and reionization epochs, just like in the standard `21cmFAST`.

A small taste of what can be done with the code

`21cmFirstCLASS` tracks both the CDM density field δ_c as well as the baryons density field δ_b .




J. Flitter



S. Libanore

Find it on Github: <https://github.com/jordanflitter/21cmFirstCLASS>

New: 21cm+CMB Forecasts with 21cmFirstCLASS




New: End-to-End ML Pipeline for 21cm Analysis

H. Lazare




New: End-to-End ML Pipeline for 21cm Analysis



H. Lazare




New: End-to-End ML Pipeline for 21cm Analysis



H. Lazare



New: End-to-End ML Pipeline for 21cm Analysis




H. Lazare



Pipeline Verification: Reproducing HERA Results


The HERA Collaboration (2022)

- $\Delta_{21}^2(\mathbf{k})$ at $z = 7.9$
- $\Delta_{21}^2(\mathbf{k})$ at $z = 10.4$
- $\tau_e = 0.0569^{+0.0081}_{-0.0066}$
- $x_{HI} < 0.06 + 0.05(1\sigma)$
- HST UV LFs: $z = 6, 7, 8, 10$



Pipeline Verification: Reproducing HERA Results


Assuming only atomic-cooling halos
(hosting popII stars):




HERA Phase-I results

Pipeline Verification: Reproducing HERA Results

Assuming only atomic-cooling halos
(hosting popII stars):




Lazare, Sarkar and Kovetz, PRD 2024



HERA Phase-I results



New: 21 cm Data Analysis beyond HERA Results

What if we include popIII stars (residing in molecular cooling galaxies)?





New: 21 cm Data Analysis beyond HERA Results

What if we include popIII stars (residing in molecular cooling galaxies)?





New: 21 cm Data Analysis beyond HERA Results


What if we include popIII stars (residing in molecular cooling galaxies)?



New: 21 cm Data Analysis beyond HERA Results



What if we include popIII stars (residing in molecular cooling galaxies)?







Cosmic Dawn Cosmology: Fuzzy Dark Matter

(adapted from "US Cosmic Visions" 2017 Report: Battaglieri et al., arXiv:1707.04591)




Schive et al, Nature 2014






Cosmic Dawn Cosmology: Fuzzy Dark Matter

Fuzzy DM suppresses small scale clustering \rightarrow delays the 21cm signal





Flitter and Kovetz, PRD 2022




Cosmic Dawn Cosmology: Fuzzy Dark Matter

Fuzzy DM suppresses small scale clustering \rightarrow delays the 21cm signal





Flitter and Kovetz, PRD 2022




Cosmic Dawn Cosmology: Fuzzy Dark Matter

Fuzzy DM suppresses small scale clustering \rightarrow delays the 21cm signal






Flitter and Kovetz, PRD 2022



Cosmic Dawn Cosmology: Fuzzy Dark Matter


Fuzzy DM suppresses small scale clustering \rightarrow delays the 21cm signal







Cosmic Dawn Cosmology: Fuzzy Dark Matter


Fuzzy DM suppresses small scale clustering \rightarrow what about high- z UVLF?



Cosmic Dawn Cosmology: Fuzzy Dark Matter



Fuzzy DM suppresses small scale clustering \rightarrow what about high- z UVLF?






Cosmic Dawn Cosmology: Fuzzy Dark Matter




Fuzzy DM suppresses small scale clustering \rightarrow what about reionization?






Cosmic Dawn Cosmology: Fuzzy Dark Matter




(adapted from "US Cosmic Visions" 2017 Report: Battaglieri et al., arXiv:1707.04591)






Cosmic Dawn Cosmology: Fuzzy Dark Matter



(adapted from "US Cosmic Visions" 2017 Report: Battaglieri et al., arXiv:1707.04591)







Cosmic Dawn Cosmology: Fuzzy Dark Matter

(adapted from "US Cosmic Visions" 2017 Report: Battaglieri et al., arXiv:1707.04591)





Lazare, Flitter and Kovetz, PRD 2024
(See also: Winch et al., ApJ 2024)






Cosmic Dawn Cosmology: Scattering DM




(adapted from "US Cosmic Visions" 2017 Report: Battaglieri et al., arXiv:1707.04591)






Cosmic Dawn Cosmology: Scattering DM




(adapted from "US Cosmic Visions" 2017 Report: Battaglieri et al., arXiv:1707.04591)






Cosmic Dawn Cosmology: Scattering DM




(adapted from “US Cosmic Visions” 2017 Report: Battaglieri et al., arXiv:1707.04591)






Cosmic Dawn Cosmology: Scattering DM


(adapted from "US Cosmic Visions" 2017 Report: Battaglieri et al., arXiv:1707.04591)








Cosmic Dawn Cosmology: Scattering DM

(adapted from “US Cosmic Visions” 2017 Report: Battaglieri et al., arXiv:1707.04591)






Flitter and Kovetz, PRD 2024






Cosmic Dawn Cosmology: Scattering DM




(adapted from “US Cosmic Visions” 2017 Report: Battaglieri et al., arXiv:1707.04591)






Cosmic Dawn Cosmology: Scattering DM

(adapted from “US Cosmic Visions” 2017 Report: Battaglieri et al., arXiv:1707.04591)






Lazare, Munoz, Boddy and Kovetz, to appear




Cosmic Dawn Cosmology: Scattering DM

(adapted from "US Cosmic Visions" 2017 Report: Battaglieri et al., arXiv:1707.04591)






Lazare, Munoz, Boddy and Kovetz, to appear








Cosmic Dawn Cosmology: Scattering DM

(adapted from “US Cosmic Visions” 2017 Report: Battaglieri et al., arXiv:1707.04591)



Lazare, Munoz, Boddy and Kovetz, to appear

The Dawn of Cosmic Dawn Cosmology



Jordan Flitter



Tal Adi



Hovav Lazare



Sarah Libanore








Debanjan Sarkar

The Dawn of Cosmic Dawn Cosmology

Some conclusions:

- We need robust, consistent and fast simulations.
- LIM is *unique* in many cases.
- At small scales, cosmic dawn can constrain:
 - Ultralight (fuzzy) dark matter
 - Interacting dark matter
 - Primordial magnetic fields
 - Early dark energy
 - Self-interacting neutrinos
 - Neutrino masses
 - ...



Jordan Flitter



Tal Adi



Hovav Lazare



Sarah Libanore



Debanjan Sarkar

Cosmic Dawn Cosmology: Other Models

Primordial Magnetic Fields:


$$(P_B(k) \propto B_{1\text{Mpc}}^2 k_B^n)$$

Cosmic Dawn Cosmology: Other Models

Primordial Magnetic Fields:

$$(P_B(k) \propto B_{1\text{Mpc}}^2 k_B^n)$$


Adi, Libanore, Cruz and Kovetz, JCAP 2023




Cosmic Dawn Cosmology: Other Models

Primordial Magnetic Fields:

$$(P_B(k) \propto B_{1\text{Mpc}}^2 k_B^n)$$




Adi, Libanore, Cruz and Kovetz, JCAP 2023





Cosmic Dawn Cosmology: Other Models

Primordial Magnetic Fields:

$$(P_B(k) \propto B_{1\text{Mpc}}^2 k_B^n)$$



Adi, Libanore, Cruz and Kovetz, JCAP 2023



Cosmic Dawn Cosmology: Other Models

Early Dark Energy:


$$(f_{\text{EDE}} = \rho_{\phi}(z_c)/\rho_{\text{tot}}(z_c); z_c \lesssim z_{\text{eq}})$$

Cosmic Dawn Cosmology: Other Models

Early Dark Energy:

$$(f_{\text{EDE}} = \rho_{\phi}(z_c)/\rho_{\text{tot}}(z_c); z_c \lesssim z_{\text{eq}})$$

Adi, Flitter and Kovetz, PRD 2025





Cosmic Dawn Cosmology: Other Models

Early Dark Energy:

$$(f_{\text{EDE}} = \rho_\phi(z_c) / \rho_{\text{tot}}(z_c); z_c \lesssim z_{\text{eq}})$$

Adi, Flitter and Kovetz, PRD 2025






Cosmic Dawn Cosmology: Other Models

Early Dark Energy:

$$(f_{\text{EDE}} = \rho_{\phi}(z_c) / \rho_{\text{tot}}(z_c); z_c \lesssim z_{\text{eq}})$$

Adi, Flitter and Kovetz, PRD 2025



Cosmic Dawn Cosmology: Other Models

Self-Interacting Neutrinos:


$$(\mathcal{L} \supset G_{\text{eff}}(\bar{\nu}\nu)(\bar{\nu}\nu))$$

Cosmic Dawn Cosmology: Other Models

Self-Interacting Neutrinos:

$$(\mathcal{L} \supset G_{\text{eff}}(\bar{\nu}\nu)(\bar{\nu}\nu))$$

Libanore, Gosh, Kovetz, Boddy and Raccanelli, arXiv:2504.15348





Cosmic Dawn Cosmology: Other Models

Self-Interacting Neutrinos:

$$(\mathcal{L} \supset G_{\text{eff}}(\bar{\nu}\nu)(\bar{\nu}\nu))$$

Libanore, Gosh, Kovetz, Boddy and Raccanelli, arXiv:2504.15348





Cosmic Dawn Cosmology: Other Models


Self-Interacting Neutrinos:

$$(\mathcal{L} \supset G_{\text{eff}}(\bar{\nu}\nu)(\bar{\nu}\nu))$$


Libanore, Gosh, Kovetz, Boddy and Raccanelli, arXiv:2504.15348



	SI $_{\nu}$	MI $_{\nu}$	mI $_{\nu}$
log $_{10} G_{\text{eff}}$ fiducial value	-1.77	-4	-5
CMB-S4	14%	66%	534%
HERA (cosmic dawn)	32%	16%	112%
HERA + CMB-S4	8%	11%	12%




Cosmic Dawn Cosmology: Neutrino Masses



Cosmic Dawn Cosmology: Neutrino Masses

Using 21cm to mitigate CMB optical depth uncertainty (τ is degenerate with Σm_ν)

$$\tau_{\text{reio}} \propto \int \overline{n_e(z)} \frac{dl}{dz} dz \propto \int_0^{z_{\text{CMB}}} \frac{dz(1+z)^2}{\sqrt{\Omega_\Lambda + \Omega_m(1+z)^3}} \overline{x_{\text{HII}}(1+\delta_b)}$$




Cosmic Dawn Cosmology: Neutrino Masses


Using 21cm to mitigate CMB optical depth uncertainty (τ is degenerate with Σm_ν)

$$\tau_{\text{reio}} \propto \int \overline{n_e(z)} \frac{dl}{dz} dz \propto \int_0^{z_{\text{CMB}}} \frac{dz(1+z)^2}{\sqrt{\Omega_\Lambda + \Omega_m(1+z)^3}} \overline{x_{\text{HII}}(1+\delta_b)}$$

We can *predict* the reionization contribution:



Shmueli, Sarkar and Kovetz, PRD 2023
(See also: Liu et al., PRD 2016)




Cosmic Dawn Cosmology: Neutrino Masses

Using 21cm to mitigate CMB optical depth uncertainty (τ is degenerate with Σm_ν)


$$\tau_{\text{reio}} \propto \int \overline{n_e(z)} \frac{dl}{dz} dz \propto \int_0^{z_{\text{CMB}}} \frac{dz(1+z)^2}{\sqrt{\Omega_\Lambda + \Omega_m(1+z)^3}} \overline{x_{\text{HII}}(1+\delta_b)}$$

We can *predict* the reionization contribution:



Shmueli, Sarkar and Kovetz, PRD 2023
(See also: Liu et al., PRD 2016)








Parameter	Fiducial Value	S4 _{ℓ>50} +Euclid + Planck Pol	+P ₂₁ (k) +21 cm τ
H_0	67.66	±0.18	±0.09
$\Omega_b h^2$	0.02242	±0.000031	±0.000030
$\Omega_c h^2$	0.11933	±0.00032	±0.00011
$\ln(10^{10} A_s)$	3.047	±0.0078	±0.0009
n_s	0.9665	±0.0015	±0.0013
τ	0.056	±0.0043	± 0.00035
Σm_ν [meV] ...	60	±16.2	± 11.8



A lot to look forward to!

Ely Kovetz

Ben-Gurion University & UT Austin (Sabbatical)



Jordan Flitter



Tal Adi



Hovav Lazare





Sarah Libanore



Debanjan Sarkar

Bonus: LIM can *uniquely* probe Dark Energy



Core questions in cosmology?


Can *cosmology* weigh in?




Inflation



Dark Matter



Dark Energy




Neutrino masses

$$\phi : m_\phi, V(\phi)$$


$$\chi : m_\chi, \mathcal{L}(\chi)$$


$$\Lambda ? w(a) = w_0 + (1 - a)w_a ?$$

$$\sum_{e,\mu,\tau} m_\nu \gtrsim 60 \text{ meV? } 100 \text{ meV?}$$




CDC Cosmology: High-z Expansion History






CDC Cosmology: High-z Expansion History

Structure: stars, ISM, galaxies, IGM, clusters






CDC Cosmology: High-z Expansion History


Structure: stars, ISM, galaxies, IGM, clusters



Underlying density fluctuations

Image Credit: SPHEREx collaboration






CDC Cosmology: High-z Expansion History


Structure: stars, ISM, galaxies, IGM, clusters



Underlying density fluctuations

Image Credit: SPHEREx collaboration






CDC Cosmology: High-z Expansion History

Structure: stars, ISM, galaxies, IGM, clusters




Underlying density fluctuations

Image Credit: SPHEREx collaboration




Prescription: “A User’s Guide to Extracting Cosmological Information from Line-Intensity Maps”


Bernal, Breysse, Gil-Marin and Kovetz, PRD 2019




CDC Cosmology: High-z Expansion History




CDC Cosmology: High-z Expansion History






CDC Cosmology: High-z Expansion History




Bernal, Breyse and Kovetz, PRL 2019




CDC Cosmology: High-z Expansion History


Angular diameter distance




Hubble parameter



Bernal, Breysse and Kovetz, PRL 2019




CDC Cosmology: High-z Expansion History



CDC Cosmology: High-z Expansion History


VAOs: relative velocity between DM and baryons modulates the star-formation rate.




CDC Cosmology: High-z Expansion History

VAOs: relative velocity between DM and baryons modulates the star-formation rate.

Tseliakovich and Hirata, PRD 2010







CDC Cosmology: High-z Expansion History


VAOs: relative velocity between DM and baryons modulates the star-formation rate.

Tseliakovich and Hirata, PRD 2010



Visbal, Barkana, Fialkov, Tseliakovich and Hirata, Nature 2012







CDC Cosmology: High-z Expansion History

VAOs: relative velocity between DM and baryons modulates the star-formation rate.


Tseliakovich and Hirata, PRD 2010




Muñoz, PRL 2019



Visbal, Barkana, Fialkov, Tseliakovich and Hirata, Nature 2012







CDC Cosmology: High-z Expansion History

VAOs: relative velocity between DM and baryons modulates the star-formation rate.


Tseliakovich and Hirata, PRD 2010




AP effect! Muñoz, PRL 2019



Visbal, Barkana, Fialkov, Tseliakovich and Hirata, Nature 2012







CDC Cosmology: High-z Expansion History

VAOs: relative velocity between DM and baryons modulates the star-formation rate.



Tseliakovich and Hirata, PRD 2010




AP effect! Muñoz, PRL 2019





Visbal, Barkana, Fialkov, Tseliakovich and Hirata, Nature 2012





CDC Cosmology: High-z Expansion History

VAOs: relative velocity between DM and baryons modulates the star-formation rate.



Sarkar and Kovetz, PRD 2022

Expansion rate constraints:

Feedback	z_{half}	$\Delta(Hr_d)/(Hr_d)\%$		
		Optimistic	Moderate	Pessimistic
No	14.8	0.3	0.62	1.82
Low	12.7	0.51	1.14	3.51
Regular	12.2	0.73	1.51	4.62