

1. Ligne 5-6 The measurement of jets by → The measurement of jet energy by ...
2. Ligne 5-6 As a result of the relaxed constrain... → Gaseous detectors can easily achieve any desired granularity and a hadron sampling calorimeter using gas as sensitive material is considered.
3. Ligne 40 the properties of a hypothetical standard- → the properties of the Higgs boson....
4. Ligne 45 The dijet energy resolution - → the dijet mass resolution
5. Ligne 48 collaboration - → collaborations
6. Ligne 61 expanse → expense ???
7. Ligne 66 energy → the energy
8. Ligne 78 thanks a fast → thanks to a fast...
9. Ligne 132 which limits the space between absorbers to 8mm → which limits its total depth to preserve cost.
10. Ligne 155 are → is
11. Ligne 158 a yield of 91.5% was found. Ici tu ne donne pas un critere de rejection de chips mais tu announces un yield.
12. Figure 3 . Pas d'unités sur l'axe des y
13. Ligne 170 10% variations. 10% RMS ou quoi. Variations n'est pas tres precis
14. Ligne 176 channel of highest → channel of the highest
15. Lignes 178 -179 la je ne comprends plus. Ou bien les dacs sont communs a tous le canaux ou bien on a un dac par canal
16. Ligne 184 values → the values
17. Ligne 185 This optimisation is Cette phrase n'est pas necessaire
18. Ligne 236 per definition → by definition
19. Ligne 311 100 thousand - → 100K
20. Ligne 335 detectror → the detector
21. Ligne 337 deference -- > differences
22. Table 2 Pourquoi la multiplicite augment avec le seuil 2 ?
23. 350 by performing voltage → by performing a voltage
24. 377 Nt pas define

25. Figure 11 Unites axe vertical

26. 403 Correction Δ A correction

27. 443 thereshold Δ thresholds